

AMENDMENT TO PERMIT

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 49

Date: **JULY 02, 2024**

File No: **523-07; 560-03**
Permit No: **ALT13379-2023**
Amendment No: **1**

Permit Holder: **City of St. John's
P.O. Box 908
10 New Gower St.
St. John's NL A1C 5M2**


Attention: **Paul Porter, P.Eng.**

Re: **Viguers Road and Main Road, Goulds, St. John's (Fourth Pond) - Installation of storm sewer pipeline, construction of storm sewer drainage ditch and outfall**

The original Permit dated NOVEMBER 20, 2023 is amended as follows:

1. The permit is being amended to allow the installation of a closed conduit stormwater pipeline system instead of the previously proposed open ditch stormwater drainage system and to relocate the outfall location closer to the shoreline of Fourth Pond.
2. The new closed conduit stormwater pipeline will have a diameter of 450 mm, and the outfall will be placed at an elevation of 123.605 m.
- 3 All other terms and conditions of the permit will remain unchanged.

All other terms and conditions of the original Permit will apply and failure to comply with the terms and conditions of this amendment and the original Permit will render this Permit null and void, place the Permit Holder and their agent(s) in violation of the *Water Resources Act* and make the Permit Holder responsible for taking any remedial measures as may be prescribed by this Department.



(for) MINISTER

File No: **523-07; 560-03**
Permit No: **ALT13379-2023**
Amendment No: **1**

- cc: City of St. John's
Jason Sinyard, P.Eng.
Director of Planning & Development
P.O. Box 908
St. John's, NL A1C 5M2
planning@stjohns.ca
- cc: Eastern Lands Office
Fisheries & Land Resources
P.O. Box 8700
Howley Building, Higgins Line
St. John's NL A1B 4J6
easternlandsoffice@gov.nl.ca
- cc: Fish and Fish Habitat Protection Program
Aquatic Ecosystems Branch
Fisheries and Oceans Canada
P.O. Box 5667
St. John's, NL A1C 5X1
dfo.fppnl-ppptnel.mpo@dfo-mpo.gc.ca
- cc: Ms. Paula Dawe, P.Eng.
Manager, Water Rights, Investigations and Modelling Section
Water Resources Management Division
Department of Environment and Climate Change
P.O. Box 8700
4th Floor, West Block, Confederation Building
St. John's, NL A1B 4J6
pauladawe@gov.nl.ca

APPENDIX D
Location Map for Permit

Revised location map for installation of storm sewer pipeline and outfall
at Viguers Road and Main Road intersection, Goulds, St. John's

