

PERMIT TO ALTER A BODY OF WATER

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 48

Date: **JANUARY 24, 2025**

File No: **524**

Permit No: **ALT14103-2025**


Permit Holder: **Department of Transportation and Infrastructure
5th Floor, West Block, Confederation Building
P.O. Box 8700
St. John's NL A1B 4J6**

Attention: **Jeremy Freake**

Re: **Various Waterbodies - Twinning Segments of the Trans-Canada Highway from
Sunnyside to Whitbourne – Geotechnical Investigation**

Permission is hereby given for : **the drilling of fifty-three (53) boreholes to a depth of 9 metres or 1.5 metres of bedrock, whichever occurs first, and the excavation of (3) test pits to a depth of 5 metres, within 15 metres of various waterbodies along the Trans-Canada Highway from Sunnyside to Whitbourne, for the purpose of conducting a geotechnical investigation, in reference to the application received on November 25, 2024, and additional information received on December 13, 2024, January 8, 2025 and January 24, 2025.**

- This Permit does not release the Permit Holder from the obligation to obtain appropriate approvals from other concerned municipal, provincial and federal agencies.
- The Permit Holder must obtain the approval of the Crown Lands Administration Division if the project is being carried out on Crown Land.
- This Permit is subject to the terms and conditions indicated in Appendices A and B (attached).
- It should be noted that prior to any significant changes in the design or installation of the proposed works, or in event of changes in ownership or management of the project, an amendment to this Permit must be obtained from the Department of Environment and Climate Change under Section 49 of the *Water Resources Act*.



(for) MINISTER

APPENDIX A
Terms and Conditions for Permit

Fuel Storage

1. All spills in excess of 70 litres shall be reported immediately to the 24 hour spill report line at 1-800-563-9089.
2. Refueling sites shall be located at least 30 metres from any water body or wetland.
3. The proponent is hereby informed that an application form for fuel storage must be obtained under the Storage and Handling of Gasoline and Associated Products Regulations, 2003.
4. A complete oil spill clean-up kit must be on site at all times when gasoline or fuel powered equipment is being used or refuelled. The kit must contain the following:
 - One hand operated fuel pump
 - One recovery container such as an empty 205 litre drum
 - One shovel
 - One pick axe
 - Five metres of containment boom
 - Five absorbent pads
 - Twenty-five litres of loose absorbent material

Geotechnical Testing

5. The initial placement of the drill rod assembly or drill casing onto the bottom of the body of water shall be done with the minimum disturbance possible to any bottom sediment that may be present.
6. A water quality monitoring program is not required at this time. However, the Department reserves the right to require that the Permit Holder sample, analyse, and submit results of water quality tests, for the purpose of ensuring that the water quality is maintained within acceptable guidelines. All analyses must be undertaken by a CALA accredited laboratory.
7. The proponent must use existing trails, winter roads or cut lines wherever possible as access routes to limit unnecessary clearing of additional vegetation and prevent soil compaction
8. Monitoring wells and boreholes, when no longer required, must be decommissioned as specified in this Department's policy - **Guidelines for Sealing Groundwater Wells**.
9. Monitoring well sample results must be submitted to the Manager of the Groundwater Section of this Department within 30 days of the completion of the work.
10. The work must meet the requirements of the Environmental Protection Plan (latest approved version) for the project.
11. Other than emergency repairs, all maintenance of the drill rig or other equipment, must be carried out on land, no closer than 30 metres to any body of water.

12. The following table provides a description of the borehole site(s) included in the scope of work for this permit.

Borehole #	Location (DD)
BH24-103	47.843406°N 53.960693°W
BH24-104	47.843243°N 53.960998°W
BH24-109	47.825837°N 53.962932°W
BH24-116	47.807760°N 53.963929°W
BH24-117	47.807294°N 53.964503°W
BH24-122	47.796986°N 53.970601°W
BH24-126	47.789175°N 53.976163°W
BH24-136	47.768716°N 53.955626°W
BH24-137	47.768686°N 53.954827°W
BH24-141	47.759264°N 53.939445°W
BH24-151	47.746757°N 53.933250°W
BH24-152	47.746197°N 53.932734°W
BH24-161	47.726994°N 53.929330°W
BH24-162	47.726450°N 53.929088°W
BH24-163	47.723991°N 53.924128°W
BH24-164	47.724008°N 53.923620°W
BH24-169	47.721157°N 53.914810°W
BH24-176	47.694433°N 53.902305°W
BH24-177	47.694013°N 53.902726°W
BH24-179	47.687378°N 53.897320°W
BH24-181	47.684197°N 53.894205°W
BH24-182	47.683239°N 53.892866°W
BH24-183	47.682836°N 53.892418°W
BH24-187	47.676994°N 53.890466°W
BH24-190	47.674834°N 53.884785°W
BH24-191	47.674449°N 53.884395°W
BH24-207	47.646221°N 53.861060°W

13. The following table provides a description of the borehole site(s) included in the scope of work for this permit.

BH24-211	47.640618°N 53.849828°W
BH24-233	47.604488°N 53.780909°W
BH24-235	47.596838°N 53.776924°W
BH24-236	47.596382°N 53.777151°W
BH24-238	47.592685°N 53.774721°W
BH24-240	47.583427°N 53.770274°W
BH24-241	47.583288°N 53.769743°W
BH24-246	47.563642°N 53.760901°W
BH24-247	47.563179°N 53.761238°W
BH24-251	47.551101°N 53.744890°W
BH24-252	47.551480°N 53.744245°W
BH24-253	47.549168°N 53.736606°W
BH24-254	47.548435°N 53.736593°W
BH24-265	47.517477°N 53.713798°W
BH24-275	47.495710°N 53.687720°W
BH24-276	47.495761°N 53.686712°W
BH24-284	47.476425°N 53.658805°W
BH24-285	47.475791°N 53.657906°W
BH24-286	47.476001°N 53.657368°W
BH24-290	47.472696°N 53.644899°W
BH24-300	47.459600°N 53.611089°W
BH24-304	47.456691°N 53.599946°W
BH24-305	47.456286°N 53.599546°W
BH24-306	47.455701°N 53.596144°W
BH24-308	47.453892°N 53.589166°W
BH24-309	47.453429°N 53.588986°W

14. The following table provides a description of the test pit site(s) included in the scope of work for this permit.

Test Pit #	Location (DD)
TP24-101	47.838642°N 53.959835°W
TP24-117	47.690562°N 53.901576°W
TP24-146	47.462753°N 53.622311°W

General Alterations

15. Any work that must be performed below the high water mark must be carried out during a period of low water levels.
16. Any flowing or standing water must be diverted around work sites so that work is carried out in the dry.
17. Water pumped from excavations or work areas, or any runoff or effluent directed out of work sites, must have silt and turbidity removed by settling ponds, filtration, or other suitable treatment before discharging to a body of water. Effluent discharged into receiving waters must comply with the *Environmental Control Water and Sewage Regulations, 2003*.
18. All operations must be carried out in a manner that prevents damage to land, vegetation, and watercourses, and which prevents pollution of bodies of water.
19. The use of heavy equipment in streams or bodies of water is not permitted. The operation of heavy equipment must be confined to dry stable areas.
20. All vehicles and equipment must be clean and in good repair, free of mud and oil, or other harmful substances that could impair water quality.
21. During the construction of concrete components, formwork must be properly constructed to prevent any fresh concrete from entering a body of water. Dumping of concrete or washing of tools and equipment in any body of water is prohibited.
22. Wood preservatives such as penta, CCA or other such chemicals must not be applied to timber near a body of water. All treated wood or timber must be thoroughly dry before being brought to any work site and installed.
23. Any areas adversely affected by this project must be restored to a state that resembles local natural conditions. Further remedial measures to mitigate environmental impacts on water resources can and will be specified, if considered necessary in the opinion of this Department.
24. The bed, banks and floodplains of watercourses, or other vulnerable areas affected by this project, must be adequately protected from erosion by seeding, sodding or placing of rip-rap.
25. All waste materials resulting from this project must be disposed of at a site approved by the Department of Digital Government and Service NL.
26. Periodic maintenance such as painting, resurfacing, clearing of debris, or minor repairs, must be carried out without causing any physical disruption of any watercourse. Care must be taken to prevent spillage of pollutants into the water.
27. The owners of structures are responsible for any environmental damage resulting from dislodgement caused by wind, wave, ice action, or structural failure.
28. Sediment and erosion control measures must be installed before starting work. All control measures must be inspected regularly and any necessary repairs made if damage is discovered.
29. Fill material must be of good quality, free of fines or other substances including metals, organics, or chemicals that may be harmful to the receiving waters.

30. The attached Completion Report (Appendix C) for Permit No. 14103 must be completed and returned to this Department upon completion of the approved works. Pictures must be submitted along with the completion report, showing the project site prior to and after development.
31. This Permit is valid for two years from the date of issue. Work must be completed by that date or the application and approval procedure must be repeated.
32. The location of the work is highlighted on the Location Map for this Permit attached as Appendix D.
33. This licence/permit does not constitute an acknowledgement of interest in any land claims adjacent.

APPENDIX B

Special Terms and Conditions for Permit

1. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall keep all systems and works in good condition and repair and in accordance with all laws, by-laws, directions, rules and regulations of any governmental authority. The Permit Holder or its agent(s), subcontractor(s), or consultant(s) shall immediately notify the Minister if any problem arises which may threaten the structural stability of the systems and works, endanger public safety and/or the environment or adversely affect others and/or any body of water either in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for all damages suffered by the Minister and Government resulting from any defect in the systems and works, operational deficiencies/inadequacies, or structural failure.
2. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall operate the said Project and its systems and works in a manner which does not cause any water related and/or environmental problems, including but not limited to problems of erosion, deposition, flooding, and deterioration of water quality and groundwater depletion, in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for any and all damages associated with these problems caused as a result of changes, deficiencies, and inadequacies in the operational procedures by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
3. If the Permit Holder or its agent(s), subcontractor(s), or consultant(s) fails to perform, fulfil, or observe any of the terms and conditions, or provisions of this Permit, as determined by this Department, the Minister may, without notice, amend, modify, suspend or cancel this Permit in accordance with the *Water Resources Act*.
4. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) indemnify and hold the Minister and Government harmless against any and all liabilities, losses, claims, demands, damages or expenses including legal expenses of any nature whatsoever whether arising in tort, contract, statute, trust or otherwise resulting directly or indirectly from granting this Permit, systems and works in or outside the said Project areas, or any act or omission of the Permit Holder or its agent(s), subcontractor(s), or consultant(s) in or outside the said Project areas, or arising out of a breach or non-performance of any of the terms and conditions, or provisions of this Permit by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
5. This Permit is subject to all provisions of the *Water Resources Act* and any regulations in effect either at the date of this Permit or hereafter made pursuant thereto or any other relevant legislation enacted by the Province of Newfoundland and Labrador in the future.
6. This Permit shall be construed and interpreted in accordance with the laws of the Province of Newfoundland and Labrador.

- cc: Melissa Rutherford
CBCL Limited
187 Kenmount Road
St. John's, NL A1B 3P9
mrutherford@cbcl.ca
- cc: Ms. Paula Dawe, P.Eng.
Manager, Water Rights, Investigations and Modelling Section
Water Resources Management Division
Department of Environment and Climate Change
P.O. Box 8700
4th Floor, West Block, Confederation Building
St. John's, NL A1B 4J6
pauladawe@gov.nl.ca
- cc: Eastern Lands Office
Fisheries & Land Resources
P.O. Box 8700
Howley Building, Higgins Line
St. John's NL A1B 4J6
easternlandsoffice@gov.nl.ca
- cc: Fish and Fish Habitat Protection Program
Aquatic Ecosystems Branch
Fisheries and Oceans Canada
P.O. Box 5667
St. John's, NL A1C 5X1
dfo.fppnl-ppptnel.mpo@dfo-mpo.gc.ca

Appendix C - Completion Report

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 48

Date: **JANUARY 24, 2025**

File No: **524**
Permit No: **ALT14103-2025**

Permit Holder: **Department of Transportation and Infrastructure
5th Floor, West Block, Confederation Building
P.O. Box 8700
St. John's NL A1B 4J6**

Attention: **Jeremy Freake**

Re: **Various Waterbodies - Twinning Segments of the Trans-Canada Highway from
Sunnyside to Whitbourne – Geotechnical Investigation**

Permission was given for : **the drilling of fifty-three (53) boreholes to a depth of 9 metres or 1.5 metres of bedrock, whichever occurs first, and the excavation of (3) test pits to a depth of 5 metres, within 15 metres of various waterbodies along the Trans-Canada Highway from Sunnyside to Whitbourne, for the purpose of conducting a geotechnical investigation, in reference to the application received on November 25, 2024, and additional information received on December 13, 2024, January 8, 2025 and January 24, 2025.**

I (the Permit Holder named above or agent authorized to represent the Permit Holder) do hereby certify that the project described above was completed in accordance with the plans and specifications submitted to the Department of Environment and Climate Change and that the work was carried out in strict compliance with the terms and conditions of the Permit issued for this project.

Date: _____ Signature: _____

This completion report must be completed and forwarded to the following address upon completion of the approved work.

Department of Environment and Climate Change
Water Resources Management Division
PO Box 8700
St. John's NL A1B 4J6

APPENDIX D
Location Map for Permit

Various Waterbodies - Twinning Segments of the Trans-Canada Highway from Sunnyside to Whitbourne – Geotechnical Investigation

