



Government of Newfoundland and Labrador
Department of Environment and Climate Change
Water Resources Management Division

PERMIT TO ALTER A BODY OF WATER

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 39, 48

Date: **JUNE 05, 2025**

File No: **536-09**
Permit No: **ALT14358-2025**

Permit Holder: **NL Hydro**
P.O. Box 12400
500 Columbus Drive
St. John's NL A1B 4K7
johnlinfield@nlh.nl.ca

Attention: **Mr. John Linfield**

Re: **Various Bodies of Water - Fording and Various Work Activities - Blanket Permit for Newfoundland**

Permission is hereby given for : i) fording of various water bodies; ii) work within the 15 metre environmental buffer surrounding various bodies of water; and iii) placement of utility poles, crossarms, cross braces and other associated hardware (bolts and insulators) and installation and repairs of anchors and guy lines anchors near bodies of water as part of work activities considered minor in nature, outside and within designated Protected Public Water Supply Areas, to carry out inspection, maintenance and upgrades to transmission and distribution systems at various locations across the Island of Newfoundland, with reference to the application dated April 1, 2025.

- This Permit does not release the Permit Holder from the obligation to obtain appropriate approvals from other concerned municipal, provincial and federal agencies.
- The Permit Holder must obtain the approval of the Crown Lands Administration Division if the project is being carried out on Crown Land.
- This Permit is subject to the terms and conditions indicated in Appendices A and B (attached).
- It should be noted that prior to any significant changes in the design or installation of the proposed works, or in event of changes in ownership or management of the project, an amendment to this Permit must be obtained from the Department of Environment and Climate Change under Section 49 of the *Water Resources Act*.

A handwritten signature in black ink, appearing to read "Hannan".

(for) MINISTER

GOVERNMENT OF NEWFOUNDLAND AND LABRADOR
Department of Environment and Climate Change

File No: **536-09**
Permit No: **ALT14358-2025**

APPENDIX A
Terms and Conditions for Permit

Special Conditions

1. The Permit Holder must apply for and obtain a separate permit under the Water Resources Act, SNL 2002 cW-4.01, specifically Section 48 <https://assembly.nl.ca/Legislation/sr/statutes/w04-01.htm> for any work activity within any designated flood risk area as indicated at <https://www.gov.nl.ca/ecc/waterres/flooding/frm/>.
2. The Permit Holder must obtain municipal approval before undertaking any work, as described in the scope of work of this permit, in or within 15 metres of any waterbody located within the municipal boundary and subsequently informs Water Resources Management Division.
3. For any work activity carried out under this Permit within any designated Protected Public Water Supply Area (PPWSA) servicing any community as indicated in Water Resources Portal available at <https://arcg.is/15HruX1>, the Permit Holder shall abide by the Policy for Land and Water Related Developments in PPWSAs available at <https://www.gov.nl.ca/ecc/waterres/regulations/policies/water-related/>.
4. This permit does not cover work activities for the placement of utility poles and anchors near areas of historical or archaeological significance, protected habitat, and ecological reserves.
5. The placement of utility poles and anchors within the 15 metre environmental buffer surrounding bodies of water must be avoided whenever possible. The placement of poles is contingent upon the Permit Holder having clear title to the land upon which these poles are installed or upon the approval of other landowners.
6. Any work activity carried out under this Permit, stipulated in the work description, is considered minor in nature. It must not involve the installation of more than five (5) structures and associated anchoring within the 15-metre environmental buffer of any body of water (including the scheduled Salmon River and wetlands).
7. Permit Holder must avoid construction activities in wetlands wherever possible.
8. All work must be carried out by the Permit Holder or its contractors bound by written contract to meet the requirements of the Permit Holder's Environmental Management Program.
9. If any work activity carried out under this Permit does prohibit, restrict or impede public access along the shoreline reservation of any body of water, then the Permit Holder shall restore the shoreline reservation to the satisfaction of the Minister within sixty (60) days of a written notice. Failure to do so shall result in the Minister restoring the reservation and the cost of the restoration shall be recovered from the Permit Holder as a debt due to the Crown.
10. A water quality monitoring program is not required at this time. However, the Department reserves the right to require that the Permit Holder sample, analyze, and submit results of water quality tests, for the purpose of ensuring that the water quality is maintained within acceptable guidelines. All analyses must be undertaken by a CALA accredited laboratory. In addition, the Permit Holder must take necessary measures to control dust that may impair the quality of any adjacent body of water or wetland.

11. Select heavy rocks must be placed along the shoreline to provide slope stability and erosion protection as deems necessary for any work activity carried out under this Permit.
12. Copies of this Permit, as well as any subsequent amendments, must be provided to the Permit Holder's contractors who will be carrying out any work under this Permit.
13. The Permit Holder acknowledges and agrees that this Permit may require and will be amended to include further provisions pursuant to the Water Resources Act, SNL 2002 cW-4.01 and its regulations and policies in effect thereunder from time to time, as deemed necessary in the opinion of the Minister.
14. The definition of 'any works' in this permit is limited to the work mentioned in the description of work or the scope of work of the permit.

Fording

15. Except for single-passenger all-terrain vehicles/off-road vehicles, crossing by other vehicles and construction equipment shall be limited to one trip in and one trip out. Additional trips by other vehicles and construction equipment may be allowed if requires completing the intended works.
16. Timbers or rocks shall be placed in streams to facilitate crossing or to minimize damage to the channel sections provided the streams are not unnecessarily constricted or backed up.
17. Alteration of the natural minimum streamflow is not permitted in order to preserve aquatic life.
18. Stream banks at fording sites that contain loose or erodible material must be adequately stabilized before crossing to minimize any siltation of streams.
19. The natural course of any stream must not be altered.
20. Infilling must not cause increased water elevation upstream or increase flow velocity downstream of the site. Reduction of the natural cross-sectional area of any watercourse is not permitted.
21. The fording sites must be located at shallow sections of the channels where there are low approach grades, and where the channels consists of stable non-erodible rock or cobbles.
22. Fording shall only be carried out during periods of low water levels.
23. When the fording sites are no longer required, the Permit Holder must dismantle and remove all constructed works and restore the sites to their original condition. All material placed in streams must be completely removed.
24. A complete oil spill clean-up kit must be on site at all times when gasoline or fuel powered equipment is being used or refuelled. The kit must contain the following:
 - One hand operated fuel pump
 - One recovery container such as an empty 205 litre drum
 - One shovel
 - One pick axe
 - Five metres of containment boom
 - Five absorbent pads
 - Twenty-five litres of loose absorbent material

25. Within 30 days after expiry of this Permit, the Permit Holder must submit to the department a report confirming that each fording location was left in as good or better condition than prior to Permit Holder's fording activities. This report should include detailed pictures of each site before and after project activities.

PPWSA General

26. All persons working on this project must be informed that they are within a Protected Public Water Supply Area, and must be made aware of all conditions of this Permit. A copy of this Permit must be on site during operations.
27. Where possible, an undisturbed (no cutting or ground disturbance) buffer zone of at least **150 metres** shall be maintained around intake ponds and intake rivers for a distance of 1 kilometer upstream and 100 metres downstream of the intake, at least **75 metres** along the remainder of , at least **50 metres** around major lakes or ponds and along both sides of all streams and main tributaries running into , and at least **30 metres** around all ponds and along both sides of all other water bodies including wetlands and field identified streams. Activity or development within these buffer zones is prohibited. Activity or development within these buffer zones should be avoided if possible. If work inside these buffer zones cannot be avoided, please inform the Regional Environmental Scientist before beginning work at (709) 729-4817(Eastern), (709)292-4280(Central)or (709)637-2542(Western).
28. All waste material is to be collected in refuse containers, and disposed of at an approved waste disposal site outside the Protected Public Water Supply Area in accordance with the *Environmental Protection Act, SNL 2002 cE-14.2*.
29. Equipment storage, maintenance facilities associated with this project, and all maintenance other than emergency repairs must not be located/carried out within the Protected Public Water Supply Area.
30. Liaison is to be maintained with the appropriate Municipal Authority and Environmental Scientist. If there are any specific problems (i.e. sedimentation, fuel spill, or other potential water quality impairment), the appropriate Town Manager/Clerk, Mayor, Chair of the Local Service District Committee, or Chair of the Water Supply Committee must be notified immediately. The Environmental Scientist must also be notified immediately at **(709)729-4817(Eastern) or (709)292-4280 (Central) or (709)637-2542 (Western)**.
31. The felling or disposing of trees, parts of trees, sawdust, bark, logging debris or slash into a water body or upon the frozen surface of a water body is strictly prohibited.
32. Motorized vehicles, including snowmobiles and ATVs, shall not be used to cross the frozen surface of the intake body of water within the Protected Public Water Supply Area.
33. Any changes in water quality resulting directly from this project, rendering the water unsuitable as a public water supply, are the responsibility of the Permit Holder. The Minister may order the Permit Holder to provide an alternate source of potable water to the affected community until water quality returns to an accepted level.
34. Officials of the Department and the appropriate Municipal Authority, Operator, or Watershed Management Committee may visit the site to ensure compliance with this Permit.
35. The Permit Holder must obtain written permission from each community authority before commencing work in their Protected Public Water Supply Area.
36. All vehicles and equipment must be in good working order with no leaking fuel, oil, or other harmful substances that could impair water quality.

37. All stationary motorized equipment and associated fuel tanks shall have metal trays, absorbent pads or impervious liners under them to catch and contain in excess of 110 % of the aggregate volume of any fuel, lubricant and oil.
38. For any activities inside the buffer zones established in condition #27: no ground disturbance (no disturbance to the root mat, no grubbing, or removal of soil) shall take place in the buffer zones. The Permit Holder is to ensure that the appropriate best practices are employed to prevent any detrimental effects that could impact water quality. Where possible, work in buffer zones shall be completed when the ground is frozen.
39. Every effort shall be made to ensure that adequate sanitary (bathroom) facilities are available or provided on site. This may be in the form of a portable toilet, chemical toilet, pit privy (outhouse), sub-surface disposal system, or municipal sewer system. If a portable toilet or chemical toilet is used, the waste water must be disposed of in a septic disposal system approved by Service NL, or at an approved waste disposal site, outside the Protected Public Water Supply Area in accordance with the Environmental Protection Act, SNL 2002 cE-14.2. If a pit privy (outhouse) or sub-surface disposal system is used, it must be located outside the required buffers, and be subject to Service NL standards, requirements and approval. In circumstances of short-term projects in remote locations with limited access, a
40. The Department reserves the right to require that the Permit Holder follow, and cover all costs incurred by the Permit Holder or this department, associated with any water quality monitoring program that may be ordered by the Minister for the purpose of ensuring that the water quality is maintained within acceptable guidelines.
41. The issuance of this permit does not guarantee, nor set precedent, that additional or similar permits or amendments will be issued in this or any other Protected Public Water Supply Area for additional or similar activity or development.

Fuel Storage

42. There shall be no bulk fuel storage associated with this project within the protected water supply area. Fuel shall be brought to the operating area in no more than two (2), 205 litre barrels or one (1) 500 litre slip tank. The Permit Holder is hereby informed that fuel storage and handling requires a separate approval under the *Storage and Handling of Gasoline and Associated Products Regulations*, CNR 775/96.
43. Contaminated snow and soil must be removed from the site and disposed of at an approved location outside the protected public water supply area, in accordance with the *Environmental Protection Act*, *SNL 2002 cE-14.2*.
44. Any spills of gasoline, fuel or oil, regardless of volume, shall be reported immediately to the appropriate Municipal Authority and Regional Environmental Scientist by calling (709)729-4817(Eastern), (709) 292-4280(Central), and (709)637-2542(Western). Furthermore, all spills in excess of 70 litres shall be reported immediately to the 24 hour spill report line at 1-800-563-9089.

45. A complete oil spill clean-up kit must be on site at all times when gasoline or fuel powered equipment is being used or refuelled. The kit must contain the following:

- One hand operated fuel pump
- One recovery container such as an empty 205 litre drum
- One shovel
- One pick axe
- Five metres of containment boom
- Five absorbent pads
- Twenty-five litres of loose absorbent material

46. Refueling sites shall be located at least 150 metres from any water body or wetland.

Power Lines

47. Wood and brush removed from the work site must not be stored within undisturbed buffer zones of any water body.

48. The use of creosote or pentachlorophenol (PCP) treated utility poles and/or anchor boxes is strictly prohibited.

49. Chromated copper arsenate (CCA), ammoniacal copper arsenate (ACA) or copper napthanate (CuNap) treated utility poles and/or anchor boxes may be used outside the above-referenced buffer zones. Untreated poles must be used within the above-referenced buffer zones.

50. All poles and/or anchor boxes within the PPWSA buffer zones identified in Condition #27 or within 30 metres of any water body must be of untreated wood, metal or concrete.

51. The **Policy for Treated Utility Poles in Water Supply Areas (WR 93-01)** must be strictly adhered to.

Reporting Protocol

52. For each work activity carried out under this Permit, the Permit Holder must notify this Department via email to waterinvestigations@gov.nl.ca. The department needs to be aware of the nature and location of each work to address any issues that may arise during the execution of work. Also, any work activity carried out under this Permit shall be subject to the payment of the applicable fee by the Permit Holder as stated in the application fee schedules approved by the Minister.

53. End of each calendar year, the Permit Holder must submit a report to the department confirming that each fording site was left in as good or better condition than prior to Permit Holder's fording activities. This report should include detailed pictures of each site before and after project activities.

54. Annually (at the end of the calendar year), the permit holder requires to submit an annual work done report explaining the nature and location of work under this permit along with the applicable fees incurred during the period.

General Alterations

55. Any work that must be performed below the high water mark must be carried out during a period of low water levels.

56. Any flowing or standing water must be diverted around work sites so that work is carried out in the dry.

57. Water pumped from excavations or work areas, or any runoff or effluent directed out of work sites, must have silt and turbidity removed by settling ponds, filtration, or other suitable treatment before discharging to a body of water. Effluent discharged into receiving waters must comply with the *Environmental Control Water and Sewage Regulations, 2003*.
58. All operations must be carried out in a manner that prevents damage to land, vegetation, and watercourses, and which prevents pollution of bodies of water.
59. The use of heavy equipment in streams or bodies of water is not permitted. The operation of heavy equipment must be confined to dry stable areas.
60. All vehicles and equipment must be clean and in good repair, free of mud and oil, or other harmful substances that could impair water quality.
61. During the construction of concrete components, formwork must be properly constructed to prevent any fresh concrete from entering a body of water. Dumping of concrete or washing of tools and equipment in any body of water is prohibited.
62. Wood preservatives such as penta, CCA or other such chemicals must not be applied to timber near a body of water. All treated wood or timber must be thoroughly dry before being brought to any work site and installed.
63. Any areas adversely affected by this project must be restored to a state that resembles local natural conditions. Further remedial measures to mitigate environmental impacts on water resources can and will be specified, if considered necessary in the opinion of this Department.
64. The bed, banks and floodplains of watercourses, or other vulnerable areas affected by this project, must be adequately protected from erosion by seeding, sodding or placing of rip-rap.
65. All waste materials resulting from this project must be disposed of at a site approved by the Department of Digital Government and Service NL.
66. Periodic maintenance such as painting, resurfacing, clearing of debris, or minor repairs, must be carried out without causing any physical disruption of any watercourse. Care must be taken to prevent spillage of pollutants into the water.
67. The owners of structures are responsible for any environmental damage resulting from dislodgement caused by wind, wave, ice action, or structural failure.
68. Sediment and erosion control measures must be installed before starting work. All control measures must be inspected regularly and any necessary repairs made if damage is discovered.
69. Fill material must be of good quality, free of fines or other substances including metals, organics, or chemicals that may be harmful to the receiving waters.
70. The attached Completion Report (Appendix C) for Permit No. 14358 must be completed and returned to this Department upon completion of the approved works. Pictures must be submitted along with the completion report, showing the project site prior to and after development.
71. This Permit is valid for two years from the date of issue. Work must be completed by that date or the application and approval procedure must be repeated.

72. The location of the work is highlighted on the Location Map for this Permit attached as Appendix D.
73. All work must be carried out within the Permit Holder's legal property boundaries.
74. Except as stated in Clause #15 under **FORDING**, the use of heavy equipment in streams or bodies of water is not permitted. The operation of heavy equipment must be confined to dry stable areas.
75. This licence/permit does not constitute an acknowledgement of interest in any land claims adjacent.

APPENDIX B
Special Terms and Conditions for Permit

1. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall keep all systems and works in good condition and repair and in accordance with all laws, by-laws, directions, rules and regulations of any governmental authority. The Permit Holder or its agent(s), subcontractor(s), or consultant(s) shall immediately notify the Minister if any problem arises which may threaten the structural stability of the systems and works, endanger public safety and/or the environment or adversely affect others and/or any body of water either in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for all damages suffered by the Minister and Government resulting from any defect in the systems and works, operational deficiencies/inadequacies, or structural failure.
2. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall operate the said Project and its systems and works in a manner which does not cause any water related and/or environmental problems, including but not limited to problems of erosion, deposition, flooding, and deterioration of water quality and groundwater depletion, in or outside the said Project areas. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) shall be responsible for any and all damages associated with these problems caused as a result of changes, deficiencies, and inadequacies in the operational procedures by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
3. If the Permit Holder or its agent(s), subcontractor(s), or consultant(s) fails to perform, fulfil, or observe any of the terms and conditions, or provisions of this Permit, as determined by this Department, the Minister may, without notice, amend, modify, suspend or cancel this Permit in accordance with the *Water Resources Act*.
4. The Permit Holder and its agent(s), subcontractor(s), and consultant(s) indemnify and hold the Minister and Government harmless against any and all liabilities, losses, claims, demands, damages or expenses including legal expenses of any nature whatsoever whether arising in tort, contract, statute, trust or otherwise resulting directly or indirectly from granting this Permit, systems and works in or outside the said Project areas, or any act or omission of the Permit Holder or its agent(s), subcontractor(s), or consultant(s) in or outside the said Project areas, or arising out of a breach or non-performance of any of the terms and conditions, or provisions of this Permit by the Permit Holder or its agent(s), subcontractor(s), or consultant(s).
5. This Permit is subject to all provisions of the *Water Resources Act* and any regulations in effect either at the date of this Permit or hereafter made pursuant thereto or any other relevant legislation enacted by the Province of Newfoundland and Labrador in the future.
6. This Permit shall be construed and interpreted in accordance with the laws of the Province of Newfoundland and Labrador.

cc: Mr. Trent Pollett
Environmental Scientist, Drinking Water
Water Resources Management Division
Department of Environment and Climate Change
3 Crommer Avenue
Grand Falls - Windsor, NL
A2A 1W9
trentpollett@gov.nl.ca

cc: Ms. Carla Hayes, P.Tech
Environmental Scientist, Drinking Water Section
Water Resources Management Division
Department of Environment and Climate Change
P.O. Box 2006
Corner Brook, NL A2H 6J8
CarlaHayes@gov.nl.ca

cc: Ms. Paula Dawe, P.Eng.
Manager, Water Rights, Investigations and Modelling Section
Water Resources Management Division
Department of Environment and Climate Change
P.O. Box 8700
4th Floor, West Block, Confederation Building
St. John's, NL A1B 4J6
pauladawe@gov.nl.ca

cc: Richard Harvey, Ph.D., P.Eng.
Program - Lead - Drinking Water, Drinking Water & Wastewater
Section
Water Resources Management Division
Department of Environment and Climate Change
RHarvey@gov.nl.ca

cc: Central Regional Lands (Grand Falls-Windsor)
Mr. Dave A. N. Frampton, Land Management Specialist
Crown Lands Administration Division
Department of Fisheries, Farming, and Natural Resources
3 Cromer Avenue, 4th Floor Provincial Building
Grand Falls-Windsor, NL A2A 1W9
DavidFrampton@gov.nl.ca

cc: Eastern Lands Office
Fisheries & Land Resources
P.O. Box 8700
Howley Building, Higgins Line
St. John's NL A1B 4J6
easternlandsoffice@gov.nl.ca

cc: Fish and Fish Habitat Protection Program
Aquatic Ecosystems Branch
Fisheries and Oceans Canada
P.O. Box 5667

St. John's, NL A1C 5X1
dfo.fppnl-ppptnel.mpo@dfo-mpo.gc.ca

cc: Sarah Smith
Environmental Scientist
Water Resources Management Division
Environment and Climate Change
sarahsmith@gov.nl.ca

cc: Western Regional Lands Office
Crown Lands
Fisheries and Lands Resources
WesternRegionLands@gov.nl.ca



Government of Newfoundland and Labrador
Department of Environment and Climate Change
Water Resources Management Division

Appendix C - Completion Report

Pursuant to the *Water Resources Act*, SNL 2002 cW-4.01, specifically Section(s) 39, 48

Date: **JUNE 05, 2025**

File No: **536-09**
Permit No: **ALT14358-2025**

Permit Holder: **NL Hydro**
P.O. Box 12400
500 Columbus Drive
St. John's NL A1B 4K7
johnlinfield@nlh.nl.ca

Attention: **Mr. John Linfield**

Re: **Various Bodies of Water - Fording and Various Work Activities - Blanket
Permit for Newfoundland**

Permission was given for : i) fording of various water bodies; ii) work within the 15 metre environmental buffer surrounding various bodies of water; and iii) placement of utility poles, crossarms, cross braces and other associated hardware (bolts and insulators) and installation and repairs of anchors and guy lines anchors near bodies of water as part of work activities considered minor in nature, outside and within designated Protected Public Water Supply Areas, to carry out inspection, maintenance and upgrades to transmission and distribution systems at various locations across the Island of Newfoundland, with reference to the application dated April 1, 2025.

I (the Permit Holder named above or agent authorized to represent the Permit Holder) do hereby certify that the project described above was completed in accordance with the plans and specifications submitted to the Department of Environment and Climate Change and that the work was carried out in strict compliance with the terms and conditions of the Permit issued for this project.

Date: _____ Signature: _____

This completion report must be completed and forwarded to the following address upon completion of the approved work.

Department of Environment and Climate Change
Water Resources Management Division
PO Box 8700
St. John's NL A1B 4J6