

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc	
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
Guidelines for Canadian Drinking Water Quality					10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0	
Aesthetic (A) or Contaminant (C) Parameter					C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A	
Anchor Point																								
Anchor Point	Well Cove Brook	Dec 11, 2024	LTD	9.8	0.130	0.260	0.006	0.016	LTD	LTD	0.005	LTD	LTD	0.007	0.110	LTD	15.000	0.004	LTD	LTD	LTD	LTD	0.006	
Appleton																								
Appleton (+Glenwood)	Gander Lake (The Outflow)	Nov 26, 2024	0.051	7.2	0.120	0.110	0.011	0.100	LTD	LTD	0.001	LTD	LTD	0.340	0.110	0.001	0.670	0.018	LTD	LTD	LTD	LTD	0.017	
Aquaforte																								
Aquaforte	Davies Pond	Nov 12, 2024	0.058	8.3	0.051	0.260	0.006	0.250	LTD	LTD	0.003	LTD	LTD	0.035	<u>0.470</u>	LTD	0.490	0.007	LTD	LTD	LTD	LTD	LTD	
Arnold's Cove																								
Arnold's Cove	Steve's Pond (2 Intakes)	Dec 02, 2024	LTD	8.7	0.050	0.200	0.013	0.120	LTD	LTD	0.002	LTD	LTD	0.220	0.170	0.001	0.420	0.008	LTD	LTD	LTD	LTD	0.025	
Avondale																								
Avondale	Lees Pond	Dec 11, 2024	LTD	4.9	LTD	0.160	0.007	0.064	LTD	LTD	0.004	LTD	LTD	0.003	0.130	LTD	0.530	0.015	LTD	LTD	LTD	LTD	LTD	
Baie Verte																								
Baie Verte	Southern Arm Pond	Nov 05, 2024	LTD	6.5	LTD	0.180	0.011	0.110	LTD	LTD	0.003	LTD	LTD	0.350	0.060	0.004	0.610	0.003	LTD	LTD	LTD	LTD	0.012	
Baine Harbour																								
Baine Harbour	Baine Harbour Pond	Nov 04, 2024	LTD	12.0	0.053	0.220	0.011	0.250	LTD	LTD	0.005	LTD	LTD	0.003	0.190	LTD	0.470	0.004	LTD	LTD	LTD	LTD	LTD	
Bay L'Argent																								
Bay L'Argent	Sugarloaf Hill Pond	Nov 07, 2024	LTD	14.0	LTD	0.260	0.010	0.340	LTD	LTD	0.004	0.00001	LTD	0.074	<u>0.340</u>	0.001	0.580	0.010	LTD	LTD	LTD	LTD	0.016	
Bay Roberts																								
Bay Roberts	Rocky Pond	Nov 21, 2024	LTD	2.8	LTD	LTD	0.009	0.033	LTD	LTD	0.001	LTD	LTD	0.280	0.082	0.001	0.630	0.005	LTD	LTD	LTD	LTD	0.008	
Bay de Verde																								
Bay de Verde	Island Pond	Dec 04, 2024	LTD	6.0	0.057	0.170	LTD	0.180	LTD	LTD	0.010	0.00001	LTD	0.420	0.190	0.003	0.690	<u>0.028</u>	LTD	LTD	LTD	LTD	0.019	
Beaches																								
Beaches	Grassey Pond Brook	Nov 20, 2024	LTD	9.4	LTD	0.160	LTD	0.095	LTD	LTD	0.008	LTD	LTD	0.002	0.099	LTD	0.700	0.006	LTD	LTD	LTD	LTD	LTD	
Beachside																								
Beachside	Long Pond	Nov 25, 2024	LTD	6.4	0.075	0.100	0.005	0.091	LTD	LTD	LTD	LTD	LTD	0.017	LTD	LTD	0.830	LTD	LTD	LTD	LTD	LTD	0.005	
Bellburns																								

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Guidelines for Canadian Drinking Water Quality					10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0
Aesthetic (A) or Contaminant (C) Parameter					C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A
Bellburns																							
Bellburns	Bound Brook Tributary	Nov 08, 2024	LTD	6.0	0.120	0.140	0.005	0.007	LTD	LTD	0.011	LTD	LTD	0.034	LTD	LTD	14.000	LTD	LTD	LTD	LTD	0.0001	LTD
Belleoram																							
Belleoram	Rabbits Pond	Nov 19, 2024	LTD	18.0	0.062	0.440	0.012	0.810	LTD	LTD	0.005	0.00002	LTD	0.160	<u>0.390</u>	0.001	0.600	0.008	LTD	LTD	LTD	LTD	0.012
Bellevue																							
Bellevue	Big Pond	Dec 05, 2024	LTD	6.8	LTD	0.150	LTD	0.066	LTD	LTD	0.011	LTD	LTD	0.036	0.110	LTD	0.740	0.008	LTD	LTD	LTD	LTD	0.013
Bellevue Beach																							
Bellevue Beach	Unnamed Brook	Dec 05, 2024	LTD	18.0	LTD	0.110	LTD	0.460	LTD	0.001	0.013	0.00003	LTD	0.072	<u>1.000</u>	LTD	0.690	0.016	LTD	LTD	LTD	LTD	0.017
Benton																							
Benton	Little Pond	Dec 10, 2024	LTD	14.0	0.054	0.250	0.007	0.280	LTD	LTD	0.002	LTD	LTD	0.004	0.270	LTD	0.450	0.010	LTD	LTD	LTD	LTD	0.012
Birchy Bay																							
Birchy Bay	Jumper's Pond	Nov 18, 2024	0.063	12.0	0.130	0.570	0.010	0.072	LTD	LTD	0.003	LTD	LTD	0.024	0.180	LTD	0.830	0.012	LTD	LTD	LTD	0.0003	LTD
Bird Cove																							
Bird Cove (+Brig Bay)	Inner Gilmour Pond	Dec 10, 2024	LTD	11.0	0.066	0.230	0.005	0.007	LTD	LTD	0.002	LTD	LTD	0.058	0.076	LTD	11.000	0.004	LTD	LTD	LTD	LTD	0.006
Biscay Bay																							
Biscay Bay	Unnamed Pond	Nov 19, 2024	LTD	8.8	LTD	0.640	0.008	0.220	LTD	LTD	LTD	0.00001	LTD	0.039	0.110	0.001	0.480	0.009	LTD	LTD	LTD	LTD	0.012
Bishop's Falls																							
Bishop's Falls	Northern Arm Lake	Nov 04, 2024	0.081	2.2	LTD	LTD	LTD	0.018	LTD	LTD	0.002	LTD	LTD	0.005	LTD	LTD	0.480	LTD	LTD	LTD	LTD	LTD	LTD
Black Tickle-Domino																							
Black Tickle-Domino - Outside Tap	Martin's Pond - Tap at Pumphouse	Oct 23, 2024	0.069	7.0	0.084	0.260	0.015	0.170	LTD	LTD	0.001	LTD	LTD	0.003	<u>1.500</u>	LTD	1.800	<u>0.042</u>	LTD	LTD	LTD	LTD	LTD
Black Tickle-Domino - PWDU	Martin's Pond - Tap at Pumphouse	Oct 23, 2024	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.002	LTD	LTD	LTD	0.005	LTD	LTD	LTD	LTD	LTD
Bonavista																							
Bonavista	Long Pond	Nov 27, 2024	LTD	9.2	LTD	0.210	0.023	0.150	LTD	LTD	0.001	0.00002	LTD	0.019	<u>0.390</u>	LTD	0.710	<u>0.043</u>	LTD	LTD	LTD	LTD	0.005
Botwood																							
Botwood	Northern Arm Lake	Nov 05, 2024	0.057	2.3	LTD	LTD	LTD	0.016	LTD	LTD	0.002	LTD	LTD	0.001	0.130	LTD	0.470	LTD	LTD	LTD	LTD	LTD	LTD

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Guidelines for Canadian Drinking Water Quality				10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0
	Aesthetic (A) or Contaminant (C) Parameter				C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A
Branch																							
Branch	Drilled Wells	Dec 13, 2024	LTD	LTD	0.510	LTD	LTD	0.013	LTD	0.003	0.034	LTD	LTD	0.003	LTD	LTD	3.500	LTD	LTD	LTD	0.001	0.0012	0.014
Brent's Cove																							
Brent's Cove	Paddy's Pond	Dec 03, 2024	LTD	18.0	LTD	0.300	0.007	0.360	LTD	LTD	0.005	0.00003	LTD	0.390	<u>0.370</u>	0.004	0.810	<u>0.059</u>	LTD	LTD	LTD	LTD	0.067
Brig Bay																							
Brig Bay	Inner Gilmour Pond	Dec 11, 2024	LTD	11.0	0.064	0.210	0.005	0.008	LTD	LTD	0.002	LTD	LTD	0.005	0.087	LTD	12.000	0.004	LTD	LTD	LTD	LTD	LTD
Brighton																							
Brighton	Hynes Cove Pond	Nov 27, 2024	LTD	8.6	LTD	0.190	0.011	0.081	LTD	LTD	0.005	LTD	LTD	0.091	0.076	LTD	1.500	0.014	LTD	LTD	LTD	LTD	0.011
Brigus																							
Brigus (+Cupids, +South River)	Brigus Long Pond (to Brigus)	Nov 25, 2024	LTD	7.9	LTD	0.210	0.015	0.150	LTD	LTD	0.003	0.00001	LTD	0.540	0.190	0.004	0.770	<u>0.021</u>	LTD	LTD	LTD	LTD	0.025
Buchans																							
Buchans	Buchans Lake aka Sandy Lake	Dec 02, 2024	LTD	7.2	0.068	0.230	0.005	0.120	LTD	LTD	0.005	0.00001	LTD	0.450	0.240	0.002	0.360	0.012	LTD	LTD	LTD	LTD	0.020
Buchans Junction																							
Buchans Junction	Lapland Pond	Dec 02, 2024	LTD	8.8	LTD	0.230	0.016	0.067	LTD	LTD	0.005	LTD	LTD	0.049	0.150	0.001	0.380	0.006	LTD	LTD	LTD	LTD	0.008
Burgeo																							
Burgeo	Long Pond	Nov 21, 2024	0.066	14.0	0.068	0.270	0.015	0.370	LTD	LTD	0.003	0.00002	LTD	0.055	<u>0.700</u>	0.001	0.670	<u>0.027</u>	LTD	LTD	LTD	LTD	0.009
Burgoyne's Cove																							
Burgoyne's Cove	Lower Rocky Pond	Dec 02, 2024	LTD	3.0	LTD	0.100	LTD	0.018	LTD	LTD	0.013	LTD	LTD	0.013	LTD	LTD	0.630	0.002	LTD	LTD	LTD	LTD	LTD
Burin																							
Burin (+Lewin's Cove)	Big Pond	Nov 06, 2024	LTD	6.1	0.053	0.140	0.013	0.068	LTD	LTD	0.007	LTD	LTD	0.440	0.100	0.005	0.860	0.014	LTD	LTD	LTD	LTD	0.012
Burin (+Lewin's Cove)	Big Pond	Nov 27, 2024	LTD	6.5	LTD	0.150	0.012	0.082	LTD	LTD	0.006	LTD	LTD	0.087	0.180	0.001	0.830	0.009	LTD	LTD	LTD	LTD	0.020
Burin (+Lewin's Cove)	Big Pond	Nov 27, 2024	LTD	6.8	LTD	0.160	0.014	0.084	LTD	LTD	0.006	LTD	LTD	0.350	0.180	0.004	0.830	0.015	LTD	LTD	LTD	LTD	0.007
Burin (+Lewin's Cove)	Big Pond	Nov 27, 2024	LTD	7.1	LTD	0.170	0.014	0.098	LTD	LTD	0.007	LTD	LTD	0.150	0.130	LTD	0.830	0.018	LTD	LTD	LTD	LTD	0.011
Burin	Long Pond	Nov 06, 2024	LTD	4.3	0.077	0.110	0.010	0.061	LTD	LTD	LTD	LTD	LTD	0.140	LTD	LTD	0.780	0.003	LTD	LTD	LTD	LTD	0.013

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Guidelines for Canadian Drinking Water Quality					10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0
Aesthetic (A) or Contaminant (C) Parameter					C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A
Burin																							
Port au Bras	Gripe Cove Pond	Nov 06, 2024	LTD	5.1	0.053	0.110	0.004	0.055	LTD	LTD	0.002	LTD	LTD	0.022	LTD	LTD	1.200	0.011	LTD	LTD	LTD	LTD	LTD
Burlington																							
Burlington	Eastern Island Pond	Nov 05, 2024	0.054	12.0	LTD	0.210	0.006	0.330	LTD	LTD	0.009	0.00001	0.00120	0.024	<u>0.430</u>	0.001	0.810	<u>0.026</u>	LTD	LTD	LTD	0.0002	0.010
Burnt Islands																							
Burnt Islands	Long Lake	Nov 05, 2024	LTD	6.8	0.079	0.170	0.005	0.350	LTD	LTD	LTD	LTD	LTD	0.002	0.110	LTD	0.470	0.009	LTD	LTD	LTD	LTD	LTD
Burnt Islands - PWDU	Long Lake	Nov 05, 2024	0.069	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.002	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD
Campbellton																							
Campbellton	Indian Arm Brook	Nov 04, 2024	LTD	6.4	LTD	0.200	0.010	0.044	LTD	0.001	0.002	LTD	LTD	0.083	0.087	0.001	0.850	0.014	LTD	LTD	LTD	LTD	0.011
Cape Freels North																							
Cape Freels North	Long Pond	Dec 03, 2024	LTD	9.7	0.071	0.280	0.012	0.240	LTD	LTD	0.002	0.00001	LTD	0.009	<u>1.100</u>	0.001	1.500	0.020	LTD	LTD	LTD	LTD	0.022
Cape St. George																							
Cape St. George, Red Brook, De-Grau, Marches Point	Rouzes Brook	Dec 16, 2024	0.090	2.0	0.270	0.110	0.005	0.009	LTD	LTD	0.024	LTD	LTD	0.009	LTD	LTD	20.000	LTD	LTD	LTD	LTD	0.0002	LTD
Caplin Cove-Southport																							
Southport	Button's Pond	Dec 05, 2024	LTD	8.6	0.058	0.290	LTD	0.180	LTD	LTD	0.003	LTD	LTD	0.007	0.220	LTD	0.920	0.008	LTD	LTD	LTD	LTD	0.016
Carbonear																							
Carbonear	Little Island Pond	Nov 21, 2024	LTD	3.6	LTD	LTD	0.011	0.038	LTD	LTD	0.004	LTD	LTD	0.100	0.130	LTD	0.620	0.005	LTD	LTD	LTD	LTD	0.007
Carmanville																							
Carmanville	Grandfathers Pond	Nov 26, 2024	LTD	5.5	LTD	0.140	LTD	0.035	LTD	LTD	LTD	0.00005	LTD	0.030	0.053	LTD	1.100	0.009	LTD	LTD	LTD	LTD	LTD
Cartwright																							
Cartwright	Burdett's Pond	Oct 08, 2024	LTD	8.7	LTD	0.160	0.018	0.240	LTD	LTD	0.004	LTD	LTD	0.001	<u>0.760</u>	LTD	0.520	0.010	LTD	LTD	LTD	LTD	0.005
Cartwright - PWDU	Burdett's Pond	Oct 08, 2024	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.001	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD
Cavendish																							
Cavendish	Long Pond	Dec 10, 2024	LTD	6.5	LTD	0.170	LTD	0.089	LTD	LTD	LTD	LTD	LTD	0.005	0.098	LTD	0.800	0.006	LTD	LTD	LTD	LTD	0.005

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc	
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
Guidelines for Canadian Drinking Water Quality					10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0	
Aesthetic (A) or Contaminant (C) Parameter					C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A	
Centreville-Wareham-Trinity																								
Centreville-Wareham	Northwest Pond	Dec 03, 2024	LTD	6.9	0.055	0.220	LTD	0.150	LTD	LTD	0.001	LTD	0.00110	0.410	<u>0.700</u>	0.001	0.490	<u>0.066</u>	LTD	LTD	LTD	LTD	0.008	
Trinity	Southwest Feeder Pond	Dec 03, 2024	LTD	7.9	0.099	0.200	0.007	0.160	LTD	LTD	LTD	LTD	LTD	0.120	0.140	0.001	0.430	0.005	LTD	LTD	LTD	0.0001	0.006	
Chance Cove																								
New Housing Area	New Housing Area Well	Nov 07, 2024	LTD	1.0	0.150	LTD	0.006	0.016	LTD	LTD	0.400	LTD	LTD	0.025	LTD	LTD	4.000	LTD	LTD	LTD	0.001	LTD	0.010	
Chanceport																								
Chanceport	Bridger's Cove Pond	Nov 20, 2024	0.052	18.0	0.064	0.530	0.008	0.250	LTD	LTD	0.003	LTD	0.00100	0.083	0.300	LTD	2.700	0.007	LTD	LTD	LTD	LTD	0.012	
Channel-Port aux Basques																								
Channel-Port Aux Basques	Gull Pond & Wilcox Pond	Nov 05, 2024	0.085	3.4	0.055	0.140	LTD	0.390	LTD	LTD	0.003	0.00001	LTD	0.001	0.098	LTD	1.000	0.009	LTD	LTD	LTD	LTD	LTD	
Charlottetown (Labrador)																								
Charlottetown (Labrador)	Middle Pond	Oct 10, 2024	LTD	8.2	LTD	0.150	0.020	0.200	LTD	LTD	0.009	LTD	LTD	0.630	<u>0.500</u>	0.003	0.550	0.010	LTD	LTD	LTD	LTD	0.025	
Charlottetown (Labrador) - PWDU	Middle Pond	Oct 10, 2024	0.073	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.004	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	
Churchill Falls																								
Churchill Falls	Smallwood Reservoir	Oct 15, 2024	0.052	3.1	LTD	0.210	0.014	0.005	LTD	LTD	0.006	LTD	LTD	0.150	0.082	LTD	1.100	0.016	LTD	LTD	LTD	LTD	0.014	
Clarenville																								
Clarenville, Shoal Harbour	Shoal Harbour River	Dec 05, 2024	LTD	2.5	0.080	0.160	LTD	0.170	LTD	LTD	0.003	LTD	LTD	0.001	LTD	LTD	0.380	0.005	LTD	LTD	LTD	LTD	0.007	
Clarke's Beach																								
Clarke's Beach	Clarke's Pond	Nov 21, 2024	LTD	3.6	LTD	LTD	0.008	0.046	LTD	LTD	0.001	LTD	LTD	0.041	LTD	LTD	0.600	0.006	LTD	LTD	LTD	LTD	0.006	
Colliers																								
Colliers	Bedlam Pond	Dec 11, 2024	LTD	5.3	0.058	0.140	0.005	0.067	LTD	LTD	LTD	LTD	LTD	0.003	0.160	LTD	0.530	0.010	LTD	LTD	LTD	LTD	0.010	
Come By Chance																								
Come By Chance	Butchers Brook	Dec 02, 2024	LTD	0.8	LTD	LTD	LTD	0.005	LTD	LTD	LTD	LTD	LTD	0.015	LTD	0.002	0.200	0.014	LTD	LTD	LTD	LTD	LTD	
Comfort Cove-Newstead																								
Comfort Cove-Newstead	Steady Cove Pond	Nov 18, 2024	LTD	9.4	0.059	0.510	0.013	0.280	LTD	LTD	0.003	LTD	LTD	0.630	<u>0.610</u>	0.001	2.500	<u>0.040</u>	LTD	LTD	LTD	LTD	0.024	
Conception Bay South																								

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Guidelines for Canadian Drinking Water Quality				10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0
	Aesthetic (A) or Contaminant (C) Parameter				C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A
Conception Bay South																							
Conception Bay South	Bay Bulls Big Pond	Nov 15, 2024	0.290	1.7	0.060	0.370	LTD	0.072	LTD	LTD	0.001	LTD	LTD	0.027	LTD	LTD	0.540	0.004	LTD	LTD	LTD	LTD	LTD
Conche																							
Conche	Martin's Brook	Nov 21, 2024	LTD	18.0	LTD	0.260	0.004	0.220	LTD	LTD	0.005	LTD	LTD	0.150	<u>0.380</u>	0.004	0.760	0.020	LTD	LTD	LTD	LTD	0.014
Conne River																							
Conne River	Southwest Brook	Nov 12, 2024	LTD	LTD	LTD	LTD	LTD	0.010	LTD	LTD	LTD	LTD	LTD	0.003	LTD	LTD	0.150	LTD	LTD	LTD	LTD	LTD	LTD
Cook's Harbour																							
Cook's Harbour	Unnamed Pond	Nov 22, 2024	LTD	4.8	LTD	0.220	0.004	0.013	LTD	LTD	0.010	LTD	LTD	0.210	0.300	0.001	4.800	0.018	LTD	LTD	LTD	0.0001	0.008
Corner Brook																							
Corner Brook (+Massey Drive, +Mount Moriah)	Trout Pond, Third Pond (2 intakes)	Dec 03, 2024	LTD	1.7	0.085	LTD	0.360	0.008	LTD	LTD	0.003	LTD	LTD	0.023	LTD	0.002	1.600	LTD	LTD	LTD	LTD	LTD	0.110
Cottlesville																							
Cottlesville	Rushy Cove Pond	Nov 18, 2024	LTD	10.0	LTD	0.580	LTD	0.047	LTD	LTD	0.015	LTD	LTD	0.072	0.090	LTD	2.100	0.014	LTD	LTD	LTD	LTD	LTD
Cottrell's Cove																							
Cottrell's Cove	Cottrell's Pond	Nov 12, 2024	LTD	7.6	LTD	0.230	LTD	0.011	LTD	LTD	0.007	LTD	LTD	0.025	LTD	LTD	2.400	0.006	LTD	LTD	LTD	LTD	LTD
Cow Head																							
Cow Head	Short Cat Path Pond	Nov 08, 2024	LTD	8.4	LTD	0.360	0.007	0.022	LTD	LTD	0.020	LTD	LTD	0.230	0.110	LTD	2.100	<u>0.024</u>	LTD	LTD	LTD	LTD	LTD
Cow Head - PWDU	Short Cat Path Pond	Nov 08, 2024	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.006	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD
Cox's Cove																							
Cox's Cove	Cox's Brook	Dec 03, 2024	LTD	5.1	0.088	0.120	LTD	0.044	LTD	LTD	0.002	LTD	LTD	0.013	0.064	LTD	1.300	0.004	LTD	LTD	LTD	LTD	LTD
Crow Head																							
Crow Head	Oars Pond	Nov 20, 2024	LTD	12.0	0.056	0.480	0.013	0.150	LTD	LTD	0.002	LTD	LTD	0.020	0.240	LTD	5.600	0.010	LTD	LTD	LTD	LTD	LTD
Cupids																							
Cupids	Brigus Long Pond (to Brigus)	Nov 21, 2024	LTD	7.7	LTD	0.120	0.007	0.130	LTD	LTD	0.002	LTD	LTD	0.016	0.170	0.001	0.660	0.015	LTD	LTD	LTD	LTD	0.013
Daniel's Harbour																							
Daniel's Harbour	Unnamed Spring & Brook	Nov 08, 2024	LTD	2.7	0.400	0.110	LTD	0.006	LTD	LTD	0.017	LTD	LTD	0.003	LTD	LTD	21.000	LTD	LTD	LTD	LTD	0.0002	LTD

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc	
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
	Guidelines for Canadian Drinking Water Quality				10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0	
	Aesthetic (A) or Contaminant (C) Parameter				C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A	
Deadman's Bay																								
Deadman's Bay	Deadman's Pond	Dec 03, 2024	LTD	9.5	LTD	0.240	0.008	0.190	LTD	LTD	0.001	LTD	LTD	0.002	<u>0.460</u>	LTD	0.680	0.010	LTD	LTD	LTD	LTD	0.007	
Deep Bight																								
Deep Bight	Deep Bight River	Dec 05, 2024	LTD	8.9	LTD	0.190	LTD	0.110	LTD	LTD	0.003	LTD	LTD	0.013	0.220	0.001	0.380	0.006	LTD	LTD	LTD	LTD	0.017	
Deer Lake																								
Deer Lake (+Reidville)	Humber Canal, Grand Lake	Nov 27, 2024	LTD	4.3	0.110	LTD	LTD	0.052	LTD	LTD	0.006	LTD	LTD	0.005	LTD	LTD	0.740	LTD	LTD	LTD	LTD	LTD	0.009	
Dildo																								
Dildo, Broad Cove (+South Dildo)	Broad Cove Pond	Dec 05, 2024	LTD	9.0	LTD	0.100	LTD	0.140	LTD	LTD	0.001	LTD	LTD	<u>1.500</u>	0.270	0.007	0.710	0.018	LTD	LTD	LTD	LTD	0.036	
Dildo, Broad Cove (+South Dildo)	Broad Cove Pond	Dec 20, 2024	LTD	8.4	LTD	0.100	0.016	0.160	LTD	LTD	0.001	LTD	LTD	<u>1.600</u>	0.260	0.006	0.720	0.015	LTD	LTD	LTD	LTD	0.035	
Dildo, Broad Cove (+South Dildo)	Broad Cove Pond	Dec 20, 2024	LTD	8.3	0.070	0.110	0.007	0.170	LTD	LTD	0.002	LTD	LTD	0.061	0.290	0.003	0.680	0.016	LTD	LTD	LTD	LTD	0.037	
Dildo, Broad Cove (+South Dildo)	Broad Cove Pond	Dec 20, 2024	LTD	8.4	0.054	0.100	0.008	0.150	LTD	LTD	0.001	LTD	LTD	0.073	0.260	0.003	0.660	0.014	LTD	LTD	LTD	LTD	0.110	
Dover																								
Dover	Hare Bay Pond	Dec 03, 2024	0.077	11.0	0.060	0.250	0.004	0.240	LTD	LTD	0.002	LTD	LTD	0.160	<u>0.410</u>	LTD	0.510	0.010	LTD	LTD	LTD	0.0002	0.005	
Elliston																								
Elliston	Big Pond	Nov 27, 2024	LTD	5.7	0.073	LTD	LTD	0.200	LTD	LTD	0.003	0.00003	LTD	0.002	0.071	LTD	0.570	0.005	LTD	LTD	LTD	LTD	0.011	
Embree																								
Embree (+Little Burnt Bay)	Troke's Cove Pond	Nov 04, 2024	LTD	5.9	LTD	0.150	0.012	0.023	LTD	0.001	0.001	LTD	LTD	0.160	0.150	LTD	1.200	<u>0.032</u>	LTD	LTD	LTD	LTD	0.005	
Englee																								
Englee	Island Cove Pond	Nov 21, 2024	LTD	11.0	LTD	0.180	LTD	0.150	LTD	LTD	0.003	LTD	LTD	0.016	<u>0.410</u>	LTD	0.740	<u>0.038</u>	LTD	LTD	LTD	LTD	LTD	
Fairbanks-Hillgrade																								
Fairbanks-Hillgrade	Saltine's Pond	Nov 20, 2024	LTD	8.7	LTD	0.440	LTD	0.073	LTD	LTD	0.004	LTD	LTD	0.001	0.088	LTD	1.800	0.009	LTD	LTD	LTD	LTD	LTD	
Fermeuse																								
Fermeuse, Kingman's	Merrymeeting Pond, Bear Cove Pond (2 intakes)	Nov 12, 2024	0.080	3.8	LTD	0.190	LTD	0.050	LTD	LTD	0.001	LTD	LTD	0.150	LTD	LTD	0.800	0.006	LTD	LTD	LTD	LTD	0.024	
Ferryland																								

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Guidelines for Canadian Drinking Water Quality					10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0
Aesthetic (A) or Contaminant (C) Parameter					C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A
Ferryland																							
Ferryland	Deep Cove Pond	Nov 12, 2024	LTD	2.0	LTD	0.110	LTD	1.800	LTD	LTD	0.002	LTD	LTD	0.003	LTD	LTD	0.790	LTD	LTD	LTD	LTD	LTD	LTD
Fleur de Lys																							
Fleur De Lys	First Pond, Narrow Pond	Nov 06, 2024	LTD	9.4	LTD	0.220	0.008	0.110	LTD	LTD	0.005	LTD	LTD	0.062	<u>0.400</u>	0.001	1.100	0.015	LTD	LTD	LTD	0.0001	0.011
Flower's Cove																							
Flower's Cove (+Nameless Cove)	French Island Pond	Dec 11, 2024	LTD	8.3	0.110	0.220	0.005	0.012	LTD	LTD	0.003	LTD	LTD	0.064	0.065	LTD	12.000	0.003	LTD	LTD	LTD	LTD	LTD
Fogo Island																							
Fogo	Freeman's Pond	Dec 11, 2024	LTD	20.0	0.068	0.270	0.013	0.610	LTD	LTD	0.004	0.00001	0.00150	0.004	<u>0.830</u>	LTD	1.900	<u>0.048</u>	LTD	LTD	LTD	LTD	0.015
Joe Batt's Arm-Barr'd Islands-Shoal Bay	Long Pond	Dec 11, 2024	LTD	10.0	0.066	0.150	LTD	0.270	LTD	LTD	0.002	0.00002	LTD	0.160	0.210	0.003	1.500	<u>0.027</u>	LTD	LTD	LTD	0.0002	0.017
Seldom-Little Seldom	Bullock Cove Pond	Dec 11, 2024	LTD	18.0	0.068	0.270	LTD	0.410	LTD	0.002	0.006	0.00002	LTD	0.320	<u>0.590</u>	0.001	1.200	<u>0.072</u>	LTD	LTD	LTD	LTD	0.033
Tilting	Sandy Cove Pond	Dec 11, 2024	LTD	14.0	0.067	0.250	LTD	0.290	LTD	LTD	0.003	LTD	LTD	0.001	<u>0.340</u>	LTD	1.400	<u>0.077</u>	LTD	LTD	LTD	LTD	LTD
Seldom-Little Seldom - PWDU	Bullock Cove Pond	Dec 11, 2024	0.063	LTD	LTD	LTD	0.005	LTD	LTD	LTD	LTD	LTD	LTD	0.009	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD
Fogo - PWDU	Freeman's Pond	Dec 11, 2024	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.018	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD
Forresters Point																							
Forresters Point	Rudges Pond	Dec 11, 2024	LTD	11.0	0.060	0.290	0.005	0.009	LTD	LTD	0.007	LTD	LTD	0.002	LTD	LTD	16.000	0.004	LTD	LTD	LTD	LTD	LTD
Forteau																							
Forteau	Trout Brook	Oct 09, 2024	LTD	2.0	0.054	LTD	0.011	0.009	LTD	LTD	0.013	LTD	LTD	0.049	LTD	LTD	12.000	0.006	LTD	LTD	LTD	0.0001	LTD
Fortune																							
Fortune (+Grand Bank)	Horsebrook	Nov 05, 2024	LTD	6.3	0.094	0.180	0.010	0.170	LTD	LTD	0.004	LTD	LTD	0.049	0.170	LTD	0.570	0.019	LTD	LTD	LTD	LTD	0.006
Fox Cove-Mortier																							
Fox Cove-Mortier	Rock Pond	Nov 06, 2024	0.210	9.0	0.055	0.290	LTD	0.130	LTD	LTD	LTD	LTD	LTD	0.003	0.170	LTD	0.890	<u>0.025</u>	LTD	LTD	LTD	LTD	0.008
Gallants																							
Gallants	Gallant's Brook	Dec 18, 2024	LTD	1.4	0.170	LTD	0.004	LTD	LTD	LTD	0.007	LTD	LTD	0.009	LTD	LTD	15.000	LTD	LTD	LTD	LTD	0.0001	LTD
Gambo																							

April 22, 2025 Page 9 of 27

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Guidelines for Canadian Drinking Water Quality					10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0
Aesthetic (A) or Contaminant (C) Parameter					C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A
Goose Cove East																							
Goose Cove East	Jack's Pond	Nov 21, 2024	LTD	14.0	0.099	0.330	LTD	0.120	LTD	LTD	LTD	LTD	0.00100	0.037	0.190	LTD	1.300	0.007	LTD	LTD	LTD	LTD	LTD
Grand Bank																							
Grand Bank	Horsebrook	Nov 05, 2024	LTD	6.4	0.100	0.200	0.013	0.160	LTD	LTD	0.004	LTD	LTD	0.240	0.250	0.001	0.580	0.018	LTD	LTD	LTD	LTD	0.013
Grand Falls-Windsor																							
Grand Falls-Windsor (+Bishop's Falls, +Wooddale, +Botwood, +Peterview)	Northern Arm Lake	Nov 05, 2024	LTD	2.3	LTD	LTD	LTD	0.034	LTD	LTD	0.002	LTD	LTD	0.004	LTD	LTD	0.500	0.004	LTD	LTD	LTD	LTD	LTD
Grand Le Pierre																							
Grand Le Pierre	Nip Nose Pond	Nov 07, 2024	0.052	8.3	0.075	0.160	LTD	0.270	LTD	LTD	0.002	0.00001	LTD	0.007	0.150	LTD	0.300	LTD	LTD	LTD	LTD	0.0002	0.009
Green Island Brook																							
Green Island Brook	Green Island Brook	Nov 22, 2024	LTD	7.2	LTD	0.220	0.012	0.024	LTD	LTD	0.006	LTD	LTD	0.051	<u>0.360</u>	LTD	11.000	0.011	LTD	LTD	LTD	LTD	0.012
Greenspond																							
Greenspond	Shambler's Cove Pond	Dec 03, 2024	LTD	6.3	0.053	0.280	LTD	0.300	LTD	LTD	0.002	LTD	LTD	0.044	0.210	0.002	0.790	0.009	LTD	LTD	LTD	0.0006	0.031
Grey River																							
Grey River	Big Charlie's Pond	Dec 02, 2024	LTD	15.0	0.054	0.270	0.007	0.390	LTD	LTD	0.003	0.00002	LTD	0.019	<u>0.420</u>	0.001	0.590	0.005	LTD	LTD	LTD	LTD	0.033
Hampden																							
Hampden	Elliot Brook	Nov 20, 2024	LTD	8.1	0.069	0.160	0.013	0.031	LTD	LTD	0.008	LTD	LTD	0.210	0.086	0.001	1.100	0.009	LTD	LTD	LTD	LTD	0.006
Hant's Harbour																							
Hant's Harbour	Eastern Pond (Halfway Brook)	Dec 04, 2024	0.075	7.0	LTD	0.170	0.006	0.110	LTD	LTD	LTD	LTD	LTD	0.580	0.120	0.001	0.600	0.012	LTD	LTD	LTD	LTD	0.009
Happy Adventure																							
Happy Adventure	Goose Neck Pond	Nov 26, 2024	LTD	14.0	LTD	0.220	0.013	0.280	LTD	LTD	0.002	0.00001	LTD	0.280	<u>0.360</u>	0.006	0.600	0.009	LTD	LTD	LTD	LTD	0.053
Happy Adventure	Goose Neck Pond	Dec 12, 2024	LTD	13.0	LTD	0.190	0.023	0.260	LTD	LTD	0.003	0.00001	LTD	0.034	0.270	0.002	0.610	0.011	LTD	LTD	LTD	LTD	0.049
Happy Adventure	Goose Neck Pond	Dec 12, 2024	LTD	14.0	0.051	0.200	0.007	0.300	LTD	LTD	0.002	LTD	LTD	0.200	<u>0.360</u>	0.004	0.590	0.009	LTD	LTD	LTD	LTD	0.031
Happy Adventure	Goose Neck Pond	Dec 12, 2024	LTD	14.0	0.053	0.180	0.025	0.290	LTD	LTD	0.002	LTD	LTD	0.470	<u>0.340</u>	0.002	0.590	0.009	LTD	LTD	LTD	LTD	0.009
Happy Valley-Goose Bay																							

April 22, 2025 Page 11 of 27

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc	
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
Guidelines for Canadian Drinking Water Quality					10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0	
Aesthetic (A) or Contaminant (C) Parameter					C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A	
Hickman's Harbour-Robinson Bight																								
Hickman's Harbour-Robinson Bight	Big Loss Pound Pond	Dec 02, 2024	LTD	5.3	LTD	0.120	LTD	0.070	LTD	LTD	0.013	0.00001	LTD	0.005	0.110	LTD	0.720	<u>0.075</u>	LTD	LTD	LTD	LTD	0.010	
Hopedale																								
Hopedale	American Pond	Oct 23, 2024	LTD	5.0	LTD	0.170	0.012	0.120	LTD	LTD	0.001	LTD	LTD	0.047	0.150	LTD	0.530	0.010	LTD	LTD	LTD	LTD	0.009	
Howley																								
Howley	Sandy Lake	Nov 14, 2024	LTD	6.6	0.064	LTD	0.008	0.100	LTD	LTD	0.005	LTD	LTD	0.120	<u>0.330</u>	LTD	0.640	0.016	LTD	LTD	LTD	LTD	0.008	
Howley - PWDU	Sandy Lake	Nov 14, 2024	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.016	LTD	0.001	LTD	LTD	LTD	LTD	LTD	LTD	0.007	
Hughes Brook																								
Hughes Brook	Reservoir	Dec 03, 2024	0.057	3.1	0.220	LTD	LTD	0.013	LTD	LTD	0.004	LTD	LTD	0.032	LTD	LTD	21.000	LTD	LTD	LTD	LTD	0.0003	0.005	
Humber Arm South																								
Halfway Point, Benoit's Cove, John's Beach	Dormody's Brook	Nov 27, 2024	LTD	3.0	0.093	LTD	LTD	0.019	LTD	LTD	0.001	LTD	0.00280	0.019	0.110	LTD	8.500	LTD	LTD	0.012	LTD	LTD	LTD	
Frenchman's Cove Area	Gurges Pond	Nov 27, 2024	LTD	4.0	LTD	0.110	LTD	0.020	LTD	LTD	0.008	LTD	LTD	0.004	0.066	0.001	1.900	0.013	LTD	LTD	LTD	LTD	LTD	
Indian Bay																								
Indian Bay	Indian Bay Brook	Dec 03, 2024	LTD	5.8	0.120	0.260	0.005	0.071	LTD	LTD	0.002	LTD	LTD	0.280	0.160	LTD	0.580	0.015	LTD	LTD	LTD	LTD	0.006	
Irishtown-Summerside																								
Irishtown	Irishtown Brook	Dec 03, 2024	LTD	11.0	LTD	0.180	0.006	0.110	LTD	LTD	0.002	LTD	LTD	0.100	<u>0.310</u>	0.001	1.300	0.012	LTD	LTD	LTD	LTD	0.008	
Summerside	Pynn's Pond	Dec 03, 2024	LTD	7.6	0.087	0.130	LTD	0.088	LTD	LTD	0.003	LTD	LTD	0.094	0.120	0.001	0.740	0.013	LTD	LTD	LTD	LTD	0.015	
Isle aux Morts																								
Isle aux Morts	Burnt Ground Pond	Nov 05, 2024	0.054	15.0	0.067	0.440	0.011	0.340	LTD	LTD	0.001	0.00002	LTD	0.035	<u>0.390</u>	0.002	0.800	0.007	LTD	LTD	LTD	LTD	LTD	
Isle aux Morts - PWDU	Burnt Ground Pond	Nov 05, 2024	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.003	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	
Jackson's Arm																								
Jackson's Arm	Unnamed Brook	Nov 15, 2024	LTD	6.3	LTD	0.160	0.007	0.069	LTD	LTD	0.012	LTD	LTD	0.330	0.190	0.001	0.640	<u>0.034</u>	LTD	LTD	LTD	LTD	0.008	
Jackson's Arm - PWDU	Unnamed Brook	Nov 15, 2024	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.003	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	
Jackson's Cove-Langdon's Cove-Silverdale																								

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
Guidelines for Canadian Drinking Water Quality					10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0
Aesthetic (A) or Contaminant (C) Parameter					C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A
Jackson's Cove-Langdon's Cove-Silverdale																							
Silverdale, Nickey's Nose Cove	Nickey's Nose Cove Pond	Nov 25, 2024	0.051	4.1	LTD	0.110	LTD	0.046	LTD	LTD	0.002	LTD	LTD	0.012	0.077	LTD	1.100	<u>0.024</u>	LTD	LTD	LTD	LTD	0.006
Keels																							
Keels	Boland's Pond	Nov 27, 2024	LTD	17.0	LTD	0.220	0.020	0.420	LTD	LTD	0.024	0.00003	LTD	0.015	<u>0.390</u>	0.001	1.200	<u>0.073</u>	LTD	LTD	LTD	LTD	0.044
King's Point																							
King's Point	Bulley's Pond	Nov 25, 2024	LTD	7.8	0.190	0.110	LTD	0.180	LTD	LTD	0.002	LTD	LTD	0.190	0.190	0.002	0.460	0.017	LTD	LTD	LTD	LTD	0.019
L'Anse au Clair																							
L'Anse au Clair	Park Pond	Oct 09, 2024	LTD	3.4	LTD	0.200	0.018	LTD	LTD	LTD	0.004	LTD	LTD	0.097	LTD	LTD	7.800	0.005	LTD	LTD	LTD	LTD	LTD
L'Anse au Loup																							
L'Anse au Loup	L'anse Au Loup River	Oct 09, 2024	LTD	3.1	0.091	0.120	0.015	0.038	LTD	LTD	0.032	LTD	LTD	0.082	0.120	LTD	1.400	0.002	LTD	LTD	LTD	0.0002	LTD
LaScie																							
La Scie	Stakes Pond	Dec 03, 2024	LTD	6.3	0.057	0.180	LTD	0.099	LTD	LTD	0.004	LTD	LTD	0.200	LTD	0.002	0.800	0.006	LTD	LTD	LTD	LTD	0.019
Labrador City																							
Labrador City	Beverly Lake	Oct 16, 2024	0.085	2.1	LTD	0.130	0.012	0.018	LTD	LTD	0.012	LTD	LTD	0.140	0.100	LTD	5.500	<u>0.060</u>	LTD	LTD	LTD	0.0001	LTD
Lamaline																							
Lamaline	Upper Hodges Pond	Nov 05, 2024	LTD	9.6	LTD	0.210	0.011	0.059	LTD	LTD	0.003	LTD	LTD	0.052	<u>0.340</u>	LTD	0.630	0.012	LTD	LTD	LTD	LTD	LTD
Lamaline - PWDU	Upper Hodges Pond	Nov 05, 2024	LTD	LTD	LTD	LTD	0.007	LTD	LTD	LTD	LTD	LTD	LTD	0.002	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD
Lark Harbour																							
Lark Harbour	Fairfax Brook	Nov 27, 2024	LTD	6.0	0.300	LTD	0.007	0.090	LTD	LTD	LTD	LTD	0.00130	0.056	0.150	0.001	2.500	0.004	LTD	0.003	LTD	LTD	0.008
Lawn																							
Lawn	Brazil Pond	Nov 05, 2024	LTD	8.4	0.055	0.190	0.015	0.092	LTD	LTD	0.002	0.00001	LTD	0.200	<u>0.390</u>	0.001	0.600	<u>0.078</u>	LTD	LTD	LTD	LTD	0.008
Lawn - PWDU	Brazil Pond	Nov 05, 2024	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.003	LTD	LTD	LTD	0.002	LTD	LTD	LTD	LTD	LTD
Leading Ticksles																							
Leading Ticksles	Cook's Pond	Nov 12, 2024	LTD	11.0	LTD	0.190	0.006	0.150	LTD	LTD	0.002	LTD	LTD	0.170	0.230	LTD	1.300	0.007	LTD	LTD	LTD	LTD	LTD

April 22, 2025 Page 14 of 27

April 22, 2025 Page 15 of 27

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Guidelines for Canadian Drinking Water Quality				10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0
	Aesthetic (A) or Contaminant (C) Parameter				C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A
Miles Cove																							
Miles Cove	Paddock's Pond	Nov 27, 2024	LTD	9.9	LTD	0.170	0.014	0.130	LTD	LTD	0.001	LTD	LTD	0.320	0.100	LTD	0.800	0.004	LTD	LTD	LTD	LTD	0.007
Millertown																							
Millertown	Water Pond	Dec 02, 2024	LTD	9.8	0.069	0.490	0.005	0.082	LTD	LTD	0.018	LTD	LTD	0.150	0.084	0.002	0.520	0.004	LTD	LTD	LTD	LTD	0.011
Milltown-Head of Bay D'Espoir																							
Milltown, Head of Bay D'Espoir	Jersey Pond	Nov 12, 2024	0.055	11.0	0.064	0.200	0.004	0.095	LTD	0.001	0.003	LTD	LTD	0.960	<u>0.700</u>	LTD	1.300	0.014	LTD	LTD	LTD	LTD	0.010
Ming's Bight																							
Ming's Bight	Middle Brook Pond	Nov 07, 2024	LTD	5.2	LTD	0.190	0.005	0.043	LTD	LTD	0.001	LTD	LTD	0.076	0.059	LTD	1.200	0.003	LTD	LTD	LTD	LTD	LTD
Morrisville																							
Morrisville	Morrisville Pond	Nov 12, 2024	LTD	6.9	0.051	0.160	LTD	0.060	LTD	LTD	0.002	LTD	LTD	0.002	0.220	LTD	1.200	0.015	LTD	LTD	LTD	LTD	0.008
Mount Moriah																							
Mount Moriah	Trout Pond, Third Pond (2 intakes)	Nov 27, 2024	LTD	1.9	0.060	LTD	0.360	0.005	LTD	LTD	0.003	LTD	LTD	0.019	LTD	LTD	1.500	LTD	LTD	LTD	LTD	LTD	0.100
Mount Pearl																							
Mount Pearl	Bay Bulls Big Pond	Nov 15, 2024	0.300	1.9	0.058	0.420	LTD	0.089	LTD	LTD	LTD	LTD	LTD	0.012	LTD	LTD	0.550	0.005	LTD	LTD	LTD	LTD	LTD
Musgrave Harbour																							
Musgrave Harbour	Rocky Pond	Nov 26, 2024	LTD	4.0	LTD	LTD	0.008	1.200	LTD	LTD	0.002	LTD	LTD	0.066	LTD	LTD	1.200	0.012	LTD	LTD	LTD	LTD	LTD
Nain																							
Nain	Trouser Lake	Oct 22, 2024	LTD	2.2	LTD	LTD	LTD	0.025	LTD	LTD	LTD	LTD	LTD	0.005	LTD	LTD	0.510	LTD	LTD	LTD	LTD	LTD	LTD
Nameless Cove																							
Nameless Cove / Flower Cove	French Island Pond	Dec 11, 2024	LTD	8.3	0.100	0.190	LTD	0.019	LTD	LTD	0.003	LTD	LTD	0.002	0.085	LTD	13.000	0.007	LTD	LTD	LTD	LTD	0.006
Natuashish																							
Natuashish (Sango Bay)	Sango Brook and Wellfield	Nov 11, 2024	LTD	1.1	0.061	LTD	LTD	0.010	LTD	LTD	0.004	LTD	LTD	0.002	LTD	LTD	6.900	LTD	LTD	LTD	LTD	0.0006	LTD
New Chelsea-New Melbourne-Brownsdale-Sibley's Cove-I																							
Sibley's Cove, Lead Cove	Sibley's Cove Pond	Dec 04, 2024	LTD	5.0	LTD	0.150	LTD	0.130	LTD	LTD	0.001	LTD	LTD	0.006	0.079	LTD	0.710	0.015	LTD	LTD	LTD	LTD	0.006
New Perlican																							

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc	
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
	Guidelines for Canadian Drinking Water Quality				10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0	
	Aesthetic (A) or Contaminant (C) Parameter				C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A	
New Perlican																								
New Perlican	New Perlican River	Dec 04, 2024	LTD	6.6	0.053	0.160	LTD	0.160	LTD	LTD	0.001	LTD	LTD	0.200	0.200	0.001	0.520	0.006	LTD	LTD	LTD	LTD	0.011	
New-Wes-Valley																								
Wesleyville-Badger's Quay-Pool's Island, Brookfield-Poundcove-Newtown-Templeman	Little Northwest Pond	Dec 03, 2024	LTD	11.0	0.054	0.360	0.011	0.280	LTD	LTD	0.002	LTD	LTD	0.002	<u>0.380</u>	LTD	0.630	0.009	LTD	LTD	LTD	0.0002	0.011	
Newman's Cove																								
Newman's Cove	Heale Pond Brook	Nov 27, 2024	LTD	20.0	LTD	0.210	0.014	0.610	LTD	LTD	0.006	LTD	LTD	0.140	<u>0.660</u>	0.001	0.970	0.020	LTD	LTD	LTD	LTD	0.015	
Nippers Harbour																								
Nippers Harbour	Blackhead Pond Brook	Dec 03, 2024	LTD	8.4	LTD	0.180	0.006	0.240	LTD	LTD	0.002	LTD	LTD	0.160	0.096	LTD	0.490	0.004	LTD	LTD	LTD	LTD	0.011	
Norman's Cove-Long Cove																								
Norman's Cove-Long Cove	John Newhooks Pond Cove	Dec 05, 2024	LTD	5.2	0.060	LTD	LTD	0.073	LTD	LTD	0.004	LTD	LTD	0.056	0.067	0.003	0.460	0.005	LTD	LTD	LTD	LTD	0.006	
Norris Arm																								
Norris Arm (south)	Mill Lake	Nov 04, 2024	LTD	4.5	LTD	0.130	0.013	0.035	LTD	LTD	0.002	LTD	LTD	0.530	0.068	0.001	0.840	LTD	LTD	LTD	LTD	LTD	0.008	
Norris Point																								
Norris Point	Neddy Harbour Pond	Nov 14, 2024	LTD	3.6	0.110	0.170	0.006	0.006	LTD	LTD	0.003	LTD	LTD	0.025	LTD	LTD	15.000	LTD	LTD	LTD	LTD	0.0001	LTD	
North Harbour																								
North Harbour	Grandfather's Pond	Dec 03, 2024	LTD	13.0	LTD	0.160	0.012	0.200	LTD	LTD	0.002	LTD	LTD	0.005	<u>0.590</u>	0.001	0.380	0.012	LTD	LTD	LTD	LTD	0.023	
Northern Arm																								
Northern Arm	Northern Arm Lake	Nov 05, 2024	LTD	2.0	LTD	LTD	0.005	0.013	LTD	LTD	0.002	LTD	LTD	0.009	0.120	LTD	0.490	LTD	LTD	LTD	LTD	LTD	LTD	
Old Perlican																								
Old Perlican	Bell Pond	Dec 04, 2024	LTD	5.8	LTD	0.170	LTD	0.120	LTD	LTD	0.002	LTD	LTD	0.400	0.180	0.002	0.630	0.017	LTD	LTD	LTD	LTD	0.010	
Pacquet																								
Pacquet	Big Brook	Nov 07, 2024	LTD	12.0	LTD	0.280	0.007	0.410	LTD	LTD	0.002	0.00002	LTD	0.450	0.230	0.001	0.690	0.020	LTD	LTD	LTD	0.0004	0.012	
Pacquet - PWDU	Big Brook	Nov 07, 2024	LTD	LTD	LTD	LTD	LTD	0.012	LTD	LTD	LTD	LTD	LTD	0.002	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	
Paradise																								

April 22, 2025 Page 18 of 27

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc	
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
	Guidelines for Canadian Drinking Water Quality				10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0	
	Aesthetic (A) or Contaminant (C) Parameter				C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A	
Pleasantview																								
Pleasantview	Little Arm Pond	Nov 12, 2024	0.059	11.0	0.078	0.320	0.005	0.090	LTD	LTD	0.001	LTD	LTD	0.052	0.098	0.002	1.200	<u>0.023</u>	LTD	LTD	LTD	LTD	LTD	
Plum Point																								
Plum Point	Grand Pond	Dec 10, 2024	LTD	8.9	LTD	0.250	0.006	LTD	LTD	LTD	0.003	LTD	LTD	0.011	LTD	0.001	12.000	0.004	LTD	LTD	LTD	LTD	0.007	
Point Lance																								
Point Lance	Unnamed Pond	Dec 13, 2024	LTD	11.0	LTD	0.170	LTD	0.110	LTD	LTD	0.001	LTD	LTD	0.035	<u>0.440</u>	0.001	1.700	<u>0.083</u>	LTD	LTD	LTD	LTD	0.023	
Point Leamington																								
Point Leamington	Little Pond	Nov 05, 2024	LTD	7.8	0.050	0.180	0.013	0.075	LTD	LTD	0.001	LTD	LTD	0.310	0.140	0.001	0.850	0.012	LTD	LTD	LTD	LTD	0.006	
Point May																								
Point May	Short's Pond	Nov 05, 2024	LTD	11.0	LTD	0.240	0.013	0.076	LTD	LTD	0.003	LTD	LTD	0.170	<u>0.590</u>	0.002	0.570	0.016	LTD	LTD	LTD	LTD	0.011	
Point May - PWDU	Short's Pond	Nov 05, 2024	0.092	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.001	LTD	LTD	0.150	LTD	LTD	LTD	LTD	LTD	LTD	
Point of Bay																								
Point of Bay	Indian Cove Pond	Nov 13, 2024	LTD	8.3	LTD	0.200	0.005	0.056	LTD	LTD	0.001	LTD	LTD	0.150	0.069	0.001	0.900	0.004	LTD	LTD	LTD	LTD	0.009	
Pollards Point																								
Pollards Point, Country Cove	Country Cove Pond	Nov 20, 2024	LTD	4.5	LTD	LTD	LTD	0.031	LTD	LTD	0.021	0.00003	LTD	0.010	0.170	LTD	1.900	<u>0.024</u>	LTD	LTD	LTD	LTD	0.025	
Pollards Point East	George Ricks Pond	Nov 20, 2024	LTD	7.4	LTD	0.150	0.010	0.120	LTD	LTD	0.024	LTD	LTD	0.071	0.079	LTD	0.490	0.004	LTD	LTD	LTD	LTD	0.007	
Pool's Cove																								
Pool's Cove	Widgeon Pond	Nov 19, 2024	LTD	8.8	0.098	0.480	0.006	0.260	LTD	LTD	0.003	LTD	LTD	0.011	<u>0.320</u>	LTD	1.300	0.012	LTD	LTD	LTD	0.0002	LTD	
Port Albert																								
Port Albert	Beaverton Pond	Dec 10, 2024	LTD	11.0	0.080	0.240	LTD	0.063	LTD	LTD	0.001	LTD	LTD	0.002	0.086	LTD	1.500	0.007	LTD	LTD	LTD	LTD	0.006	
Port Anson																								
Port Anson	Anchor Pond	Nov 27, 2024	0.058	12.0	LTD	0.200	0.006	0.140	LTD	LTD	0.001	LTD	LTD	0.035	0.200	LTD	0.910	LTD	LTD	LTD	LTD	LTD	0.008	
Port Blandford																								
Port Blandford	Noseworthy's Pond	Nov 26, 2024	LTD	9.1	LTD	0.170	0.014	0.077	LTD	LTD	0.002	LTD	LTD	0.078	0.200	0.001	0.350	0.003	LTD	LTD	LTD	LTD	0.014	
Port Hope Simpson																								

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Guidelines for Canadian Drinking Water Quality				10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0
	Aesthetic (A) or Contaminant (C) Parameter				C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A
Port Hope Simpson																							
Port Hope Simpson	Arnold's Brook and Pond	Oct 09, 2024	LTD	6.3	0.070	0.160	0.020	0.160	LTD	LTD	0.004	LTD	LTD	0.071	<u>0.330</u>	LTD	0.390	0.015	LTD	LTD	LTD	LTD	0.006
Port Saunders																							
Port Saunders	Tom Taylor's Pond	Nov 04, 2024	LTD	11.0	LTD	0.230	0.004	LTD	LTD	LTD	0.008	LTD	LTD	0.017	LTD	LTD	11.000	0.013	LTD	LTD	LTD	LTD	LTD
Port Saunders - PWDU	Tom Taylor's Pond	Nov 04, 2024	0.055	LTD	0.097	LTD	0.008	LTD	LTD	LTD	0.006	LTD	LTD	0.004	LTD	LTD	7.600	LTD	LTD	LTD	LTD	LTD	LTD
Port au Choix																							
Port au Choix	Winterhouse Pond	Nov 04, 2024	LTD	11.0	0.400	0.160	0.011	0.017	LTD	LTD	0.023	0.00002	LTD	0.240	0.089	LTD	9.800	LTD	LTD	LTD	LTD	0.0001	LTD
Port au Choix - PWDU	Winterhouse Pond	Nov 04, 2024	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.002	LTD	LTD	0.150	LTD	LTD	LTD	LTD	LTD	LTD
Portland Creek																							
Portland Creek	Unnamed Streams	Nov 08, 2024	LTD	1.3	1.000	0.130	LTD	0.006	LTD	LTD	0.028	LTD	LTD	0.006	LTD	LTD	6.200	0.012	LTD	LTD	LTD	LTD	LTD
Portugal Cove South																							
Portugal Cove South	Wrights Brook	Nov 12, 2024	LTD	4.9	LTD	0.150	0.007	0.130	LTD	LTD	LTD	LTD	LTD	0.490	0.280	0.001	0.920	0.005	LTD	LTD	LTD	LTD	0.018
Portugal Cove-St. Phillips																							
Portugal Cove-St. Phillips	Bay Bulls Big Pond	Nov 19, 2024	0.240	1.8	0.053	0.320	LTD	0.051	LTD	LTD	0.001	LTD	LTD	0.032	LTD	LTD	0.530	0.003	LTD	LTD	LTD	LTD	0.006
Postville																							
Postville	Big Pond	Oct 23, 2024	LTD	6.9	LTD	0.130	0.012	0.160	LTD	LTD	0.003	LTD	LTD	0.019	0.083	LTD	0.490	0.003	LTD	LTD	LTD	LTD	LTD
Postville - PWDU	Big Pond	Oct 23, 2024	LTD	LTD	LTD	LTD	0.008	LTD	LTD	LTD	LTD	LTD	LTD	0.003	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD
Pouch Cove																							
Pouch Cove	North Three Island Pond	Nov 28, 2024	LTD	0.6	LTD	LTD	0.011	LTD	LTD	LTD	LTD	LTD	LTD	0.027	LTD	LTD	0.230	LTD	LTD	LTD	LTD	LTD	LTD
Purcell's Harbour																							
Purcell's Harbour	Purcell's Harbour Pond	Nov 20, 2024	LTD	21.0	LTD	0.500	0.010	0.390	LTD	LTD	0.003	LTD	LTD	0.026	<u>0.430</u>	0.001	1.900	0.007	LTD	LTD	LTD	LTD	0.024
Pynn's Brook																							
Pynn's Brook	Pynn's Brook	Nov 14, 2024	LTD	5.0	0.063	LTD	0.006	0.022	LTD	LTD	0.025	LTD	LTD	0.031	0.056	LTD	1.700	0.003	LTD	LTD	LTD	LTD	LTD
Ramea																							

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc	
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
Guidelines for Canadian Drinking Water Quality					10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0	
Aesthetic (A) or Contaminant (C) Parameter					C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A	
Ramea																								
Ramea	Northwest Pond	Nov 19, 2024	LTD	2.8	LTD	LTD	LTD	0.140	LTD	LTD	0.001	LTD	LTD	0.003	<u>0.350</u>	LTD	4.100	0.011	LTD	LTD	LTD	LTD	0.005	
Ramea - PWDU	Northwest Pond	Nov 19, 2024	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	
Random Sound West																								
Queen's Cove	Reservoir	Dec 05, 2024	LTD	7.6	0.069	0.240	LTD	0.110	LTD	LTD	0.006	0.00001	LTD	0.210	<u>0.320</u>	0.004	0.430	<u>0.100</u>	LTD	LTD	LTD	LTD	0.039	
Rattling Brook																								
Rattling Brook	Mark's Pond Brook	Nov 25, 2024	LTD	10.0	LTD	0.120	0.009	0.360	LTD	LTD	0.003	0.00005	LTD	0.033	0.170	0.001	0.260	<u>0.021</u>	LTD	LTD	LTD	LTD	0.011	
Red Bay																								
Red Bay	Northern Brook	Oct 09, 2024	LTD	4.3	LTD	0.210	0.033	0.150	LTD	LTD	0.011	LTD	LTD	0.390	<u>0.560</u>	LTD	0.470	0.018	LTD	LTD	LTD	LTD	0.006	
Reidville																								
Reidville	Humber Canal, Grand Lake	Nov 14, 2024	LTD	4.9	LTD	LTD	0.007	0.049	LTD	LTD	0.005	LTD	LTD	0.200	0.058	LTD	0.740	LTD	LTD	LTD	LTD	LTD	0.007	
Rigolet																								
Rigolet	Rigolet Pond	Oct 23, 2024	0.057	12.0	LTD	0.200	0.013	0.240	LTD	LTD	0.029	LTD	LTD	0.190	<u>0.480</u>	0.001	0.610	0.007	LTD	0.004	LTD	LTD	0.074	
Rigolet - PWDU	Rigolet Pond	Oct 23, 2024	LTD	LTD	LTD	LTD	0.004	0.011	LTD	LTD	LTD	LTD	LTD	0.034	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.009	
River of Ponds																								
River of Ponds	Burnt Head Ponds	Nov 04, 2024	LTD	6.7	LTD	0.250	LTD	0.006	LTD	LTD	0.007	LTD	LTD	0.001	LTD	LTD	6.100	0.006	LTD	LTD	LTD	LTD	LTD	
Robert's Arm																								
Robert's Arm	Young's Pond / Dam Pond	Nov 27, 2024	LTD	5.3	LTD	0.140	0.006	0.063	LTD	LTD	0.021	LTD	LTD	0.044	0.067	LTD	1.300	0.004	LTD	LTD	LTD	LTD	LTD	
Rocky Harbour																								
Rocky Harbour	Gull Pond	Nov 14, 2024	LTD	6.5	0.057	LTD	0.010	0.018	LTD	LTD	0.007	LTD	LTD	0.099	LTD	0.001	5.800	0.005	LTD	LTD	LTD	LTD	0.007	
Roddickton-Bide Arm																								
Bide Arm	First Clay Cove Pond	Nov 21, 2024	LTD	5.3	LTD	0.170	LTD	0.006	LTD	LTD	0.002	LTD	LTD	0.004	LTD	LTD	7.400	0.007	LTD	LTD	LTD	LTD	LTD	
Roddickton	East Brook Pond	Nov 21, 2024	LTD	3.0	0.055	0.100	LTD	0.010	LTD	LTD	0.004	LTD	LTD	0.200	LTD	LTD	4.800	LTD	LTD	LTD	LTD	0.0001	LTD	
Rose Blanche-Harbour Le Cou																								

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Guidelines for Canadian Drinking Water Quality				10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0
	Aesthetic (A) or Contaminant (C) Parameter				C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A
Rose Blanche-Harbour Le Cou																							
Rose Blanche-Harbour Le Cou	Rose Blanche Brook	Nov 05, 2024	LTD	11.0	0.084	0.240	0.005	0.030	LTD	LTD	0.007	LTD	LTD	0.049	0.059	LTD	1.200	0.010	LTD	LTD	LTD	LTD	0.008
Rushoon																							
Rushoon	Big Pond Brook	Nov 04, 2024	LTD	9.3	0.081	0.200	0.011	0.170	LTD	LTD	0.006	LTD	LTD	0.093	0.130	0.002	0.480	0.011	LTD	LTD	LTD	LTD	0.021
Salmon Cove																							
Salmon Cove	Rocky Pond	Nov 21, 2024	LTD	2.7	LTD	LTD	0.009	0.031	LTD	LTD	0.002	LTD	LTD	0.064	LTD	0.001	0.330	0.009	LTD	LTD	LTD	LTD	0.016
Salvage																							
Salvage	Wild Cove Pond	Nov 26, 2024	LTD	19.0	LTD	0.270	0.015	0.370	LTD	LTD	0.002	0.00002	LTD	0.210	<u>0.400</u>	0.001	0.790	0.005	LTD	LTD	LTD	LTD	0.024
Seal Cove (FB)																							
Seal Cove, F.B.	Big Black Duck Pond	Nov 19, 2024	LTD	4.4	0.170	0.440	0.007	0.290	LTD	LTD	0.004	0.00004	LTD	0.340	0.170	0.003	0.820	0.011	LTD	0.002	LTD	0.0001	0.030
Seal Cove, F.B. - PWDU	Big Black Duck Pond	Nov 19, 2024	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.001	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD
Seal Cove (WB)																							
Seal Cove, W.B.	Seal Cove Brook & Long Pond	Nov 06, 2024	LTD	9.6	0.066	0.240	0.007	0.100	LTD	LTD	0.007	LTD	LTD	0.041	<u>0.370</u>	LTD	0.880	0.020	LTD	LTD	LTD	LTD	LTD
Shoe Cove																							
Shoe Cove	Second Pond	Dec 03, 2024	LTD	16.0	LTD	0.320	0.007	0.270	LTD	LTD	0.004	0.00001	LTD	0.110	<u>0.400</u>	LTD	0.850	<u>0.023</u>	LTD	LTD	LTD	LTD	0.009
Smith's Harbour																							
Smith's Harbour	Fleshetts Brook	Nov 05, 2024	LTD	11.0	LTD	0.300	0.008	0.290	LTD	LTD	0.003	LTD	LTD	0.250	0.200	LTD	0.660	0.010	LTD	LTD	LTD	0.0002	0.010
Sop's Arm																							
Sop's Arm	Little Tickle Pond	Nov 20, 2024	LTD	9.1	0.093	0.140	0.005	0.160	LTD	LTD	0.017	LTD	LTD	0.003	0.190	LTD	1.000	<u>0.045</u>	LTD	LTD	LTD	LTD	0.014
South Brook																							
South Brook	Next to Brook	Nov 27, 2024	LTD	0.8	0.410	LTD	0.004	LTD	LTD	LTD	0.002	LTD	LTD	0.270	LTD	LTD	2.700	LTD	LTD	LTD	LTD	0.0002	0.006
South Dildo																							
South Dildo	Broad Cove Pond	Dec 05, 2024	LTD	8.7	0.052	0.130	LTD	0.150	LTD	LTD	0.002	LTD	LTD	0.047	0.280	0.002	0.620	0.017	LTD	LTD	LTD	LTD	0.027
Southern Harbour																							
Southern Harbour	Brigades Pond	Dec 02, 2024	LTD	9.7	0.290	0.220	0.010	0.190	LTD	LTD	0.009	LTD	LTD	0.051	0.180	0.002	0.570	0.012	LTD	LTD	LTD	LTD	0.017

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc	
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
	Guidelines for Canadian Drinking Water Quality				10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0	
	Aesthetic (A) or Contaminant (C) Parameter				C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A	
Spaniard's Bay																								
Spaniard's Bay (+Upper Island Cove, + Bryant's Cove)	Kelly's Pond (Spider's Pond)	Nov 21, 2024	LTD	4.5	LTD	LTD	0.010	0.073	LTD	LTD	LTD	LTD	LTD	0.440	0.120	LTD	0.450	0.006	LTD	LTD	LTD	LTD	0.007	
Springdale																								
Springdale	Sullivan's Pond (2 Intakes)	Nov 25, 2024	LTD	4.8	LTD	0.120	0.012	0.025	LTD	LTD	LTD	LTD	LTD	0.240	0.064	0.001	1.000	0.006	LTD	LTD	LTD	LTD	0.009	
St. Anthony																								
St. Anthony	St. Anthony Pond	Nov 21, 2024	LTD	7.9	0.088	0.170	0.012	0.049	LTD	LTD	0.003	LTD	0.00170	0.074	0.130	LTD	4.800	0.007	LTD	0.013	LTD	LTD	0.005	
St. Bernard's-Jacques Fontaine																								
St. Bernard's-Jacques Fontaine	Rattle Brook	Nov 07, 2024	LTD	8.7	0.074	0.210	0.012	0.210	LTD	LTD	0.002	LTD	LTD	0.095	0.260	0.001	0.530	0.008	LTD	LTD	LTD	LTD	0.006	
St. Bride's																								
St. Bride's	North Side Brook	Dec 13, 2024	0.077	5.3	LTD	LTD	0.011	0.025	LTD	LTD	0.012	0.00003	LTD	0.009	0.220	LTD	1.200	<u>0.021</u>	LTD	LTD	LTD	LTD	0.014	
St. Bride's	South Side Brook	Dec 13, 2024	LTD	8.1	0.091	0.140	0.006	0.056	LTD	LTD	0.032	LTD	LTD	0.130	0.290	LTD	1.100	0.006	LTD	LTD	LTD	LTD	0.011	
St. John's																								
St. John's (+Mt. Pearl, +Paradise, +Portugal Cove-St. Phillips, +CBS)	Bay Bulls Big Pond	Dec 10, 2024	0.230	2.3	0.062	0.430	LTD	0.210	LTD	LTD	0.001	LTD	LTD	0.004	LTD	LTD	0.530	0.006	LTD	LTD	LTD	LTD	LTD	
St. John's	Windsor Lake	Dec 04, 2024	LTD	2.5	0.058	LTD	LTD	0.032	LTD	LTD	0.001	LTD	LTD	0.003	LTD	LTD	0.630	0.006	LTD	LTD	LTD	LTD	0.013	
St. John's	Petty Harbour Long Pond	Dec 04, 2024	0.052	1.9	0.054	LTD	LTD	0.020	LTD	LTD	0.002	LTD	LTD	0.001	LTD	LTD	0.580	0.004	LTD	LTD	LTD	LTD	0.011	
St. Jude's																								
St. Jude's	Uncle Arthur Brook	Dec 11, 2024	LTD	7.6	0.140	0.120	LTD	0.063	LTD	LTD	0.020	LTD	LTD	0.012	LTD	LTD	3.100	<u>0.055</u>	LTD	LTD	LTD	0.0001	LTD	
St. Jude's	Chute Brook	Dec 11, 2024	LTD	4.6	0.086	LTD	LTD	0.030	LTD	LTD	0.013	LTD	LTD	0.036	LTD	LTD	1.200	0.017	LTD	LTD	LTD	LTD	0.009	
St. Lawrence																								
St. Lawrence	St. Lawrence River	Nov 05, 2024	LTD	10.0	LTD	0.220	0.006	0.220	LTD	LTD	0.008	0.00001	LTD	0.031	<u>0.650</u>	0.002	0.560	<u>0.029</u>	LTD	LTD	LTD	0.0001	0.008	
St. Lawrence - PWDU	St. Lawrence River	Nov 05, 2024	0.110	2.4	0.140	0.140	0.017	0.260	LTD	LTD	0.011	0.00002	0.00120	0.250	<u>0.350</u>	LTD	0.580	<u>0.024</u>	LTD	LTD	LTD	LTD	0.020	
St. Lewis																								
St. Lewis	Tub Harbour Pond	Oct 09, 2024	LTD	9.1	LTD	0.250	0.021	0.180	LTD	LTD	0.003	LTD	LTD	0.190	<u>0.380</u>	0.001	0.920	0.008	LTD	LTD	LTD	0.0001	0.005	

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Guidelines for Canadian Drinking Water Quality				10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0
	Aesthetic (A) or Contaminant (C) Parameter				C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A
St. Lunaire-Griquet																							
St. Lunaire-Griquet	Joe's Pond	Nov 22, 2024	LTD	18.0	LTD	0.290	0.017	0.130	LTD	LTD	0.004	LTD	0.00110	0.240	<u>0.410</u>	0.001	1.600	<u>0.036</u>	LTD	0.002	LTD	LTD	0.018
Gunners Cove	Lookout Brook	Nov 22, 2024	LTD	19.0	LTD	0.350	0.005	0.220	LTD	LTD	0.003	LTD	LTD	0.100	<u>0.470</u>	0.001	1.600	<u>0.044</u>	LTD	LTD	LTD	LTD	0.005
St. Lunaire-Griquet - PWDU	Joe's Pond	Nov 21, 2024	0.068	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.004	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD
St. Pauls																							
St. Pauls	Two Mile Pond	Nov 08, 2024	LTD	6.8	0.250	0.250	0.004	0.014	LTD	LTD	0.033	LTD	LTD	0.190	0.110	LTD	4.000	0.006	LTD	LTD	LTD	0.0001	LTD
St. Shott's																							
St. Shott's	Unnamed Pond	Nov 19, 2024	LTD	9.1	0.073	0.170	0.005	0.200	LTD	LTD	0.004	0.00001	LTD	0.016	0.160	LTD	0.990	0.003	LTD	LTD	LTD	LTD	0.015
Steady Brook																							
Steady Brook	Wellfield + Steady Brook	Dec 03, 2024	LTD	6.1	0.070	0.100	LTD	0.093	LTD	LTD	0.034	LTD	LTD	0.019	0.190	LTD	1.600	0.010	LTD	LTD	LTD	0.0009	LTD
Stephenville																							
Stephenville	Well Field	Dec 17, 2024	LTD	0.8	0.190	LTD	0.007	LTD	LTD	LTD	0.050	LTD	LTD	0.016	0.051	LTD	11.000	0.009	LTD	LTD	LTD	0.0004	0.007
Stoneville																							
Stoneville	Dog Bay Pond Brook	Dec 10, 2024	LTD	8.5	0.170	0.160	0.004	0.059	LTD	LTD	0.001	0.00001	LTD	0.011	0.110	LTD	0.930	0.018	LTD	LTD	LTD	LTD	0.005
Straitsview																							
Straitsview	Saddle Hill Pond	Nov 22, 2024	LTD	16.0	LTD	0.310	0.018	0.130	LTD	0.001	0.003	LTD	LTD	0.150	<u>0.560</u>	LTD	2.000	<u>0.043</u>	LTD	LTD	LTD	LTD	LTD
Summerford																							
Summerford (+Cottlesville)	Rushy Cove Pond	Nov 18, 2024	0.150	9.7	LTD	0.250	0.014	0.052	LTD	LTD	0.019	LTD	LTD	0.150	0.110	0.001	2.700	0.019	LTD	LTD	LTD	LTD	0.017
Sunnyside (T.B.)																							
Sunnyside	Center Cove River	Dec 02, 2024	LTD	11.0	LTD	0.110	LTD	0.230	LTD	LTD	0.005	LTD	LTD	0.140	0.250	LTD	0.370	0.014	LTD	LTD	LTD	LTD	0.005
Terrenceville																							
Terrenceville	Big Brook	Nov 07, 2024	LTD	7.5	LTD	0.160	0.013	0.190	LTD	LTD	0.006	LTD	LTD	0.120	<u>0.340</u>	LTD	0.360	0.011	LTD	LTD	LTD	LTD	LTD
Thornlea																							
Thornlea	Big Bakeapple Pond	Dec 05, 2024	LTD	12.0	LTD	0.120	0.005	0.230	LTD	LTD	0.038	LTD	LTD	0.004	0.290	LTD	0.600	0.007	LTD	LTD	LTD	LTD	0.015
Tizzard's Harbour																							

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc	
			mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
Guidelines for Canadian Drinking Water Quality					10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0	
Aesthetic (A) or Contaminant (C) Parameter					C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A	
Tizzard's Harbour																								
Tizzard's Harbour	Rocky Pond	Nov 18, 2024	LTD	11.0	LTD	0.430	0.009	0.360	LTD	LTD	0.002	LTD	LTD	0.014	<u>0.680</u>	LTD	2.200	0.017	LTD	LTD	LTD	LTD	0.006	
Torbay																								
Torbay	North Pond	Nov 19, 2024	LTD	3.0	0.340	LTD	LTD	0.023	LTD	LTD	0.002	LTD	LTD	0.019	0.240	LTD	0.800	0.011	LTD	LTD	LTD	LTD	0.019	
Trepassey																								
Trepassey	Miller's Pond	Nov 19, 2024	LTD	14.0	LTD	0.120	0.010	0.410	LTD	LTD	0.003	0.00002	LTD	0.120	<u>0.400</u>	0.001	0.670	<u>0.037</u>	LTD	LTD	LTD	LTD	0.017	
Trinity																								
Trinity, T.B.	Indian Pond	Nov 27, 2024	LTD	7.8	LTD	0.120	0.018	0.300	LTD	LTD	0.002	LTD	LTD	0.059	0.120	0.001	0.420	0.012	LTD	LTD	LTD	LTD	0.015	
Trinity Bay North																								
Little Catalina	Whirl Pond	Nov 27, 2024	LTD	12.0	LTD	0.210	0.014	0.260	LTD	LTD	LTD	LTD	LTD	0.250	<u>0.420</u>	0.001	0.350	<u>0.022</u>	LTD	LTD	LTD	LTD	0.019	
Melrose	Whirl Pond	Nov 27, 2024	LTD	10.0	LTD	0.130	0.012	0.270	LTD	LTD	0.007	0.00002	LTD	0.380	<u>0.420</u>	0.001	0.830	<u>0.079</u>	LTD	LTD	LTD	LTD	0.035	
Port Union, Catalina (+Little Catalina)	Whirl Pond	Nov 27, 2024	LTD	12.0	LTD	0.100	0.023	0.240	LTD	LTD	0.001	0.00001	LTD	0.550	<u>0.420</u>	0.001	0.470	<u>0.051</u>	LTD	LTD	LTD	LTD	0.065	
Triton																								
Triton, Jim's Cove, Card's Harbour	Triton Pond	Nov 27, 2024	0.350	12.0	0.055	0.200	0.007	0.096	LTD	LTD	0.011	LTD	LTD	0.027	0.130	0.001	2.000	0.007	LTD	LTD	LTD	LTD	0.013	
Trout River																								
Trout River	Feeder Brook	Nov 14, 2024	LTD	1.7	0.210	LTD	0.006	0.014	LTD	LTD	0.004	LTD	LTD	0.040	LTD	LTD	10.000	0.006	LTD	0.005	LTD	LTD	LTD	
Twillingate																								
Twillingate	Wild Cove Pond	Nov 20, 2024	LTD	7.9	0.120	0.370	0.008	0.060	LTD	LTD	0.001	LTD	LTD	0.200	0.150	LTD	2.300	0.008	LTD	LTD	LTD	LTD	LTD	
Upper Island Cove																								
Upper Island Cove	Kelly's Pond (Spider's Pond)	Nov 25, 2024	LTD	5.3	LTD	0.150	0.015	0.100	LTD	LTD	LTD	LTD	LTD	0.200	0.094	0.001	0.470	0.006	LTD	LTD	LTD	LTD	0.010	
Victoria																								
Victoria (+Salmon Cove)	Rocky Pond	Nov 21, 2024	LTD	2.9	LTD	LTD	0.010	0.028	LTD	LTD	LTD	LTD	LTD	0.180	0.055	0.003	0.400	0.014	LTD	LTD	LTD	LTD	0.007	
Wabana																								
Wabana	Mixed Supplies	Oct 09, 2024	LTD	2.0	LTD	LTD	0.004	LTD	LTD	0.002	0.088	LTD	LTD	0.006	0.064	LTD	6.200	<u>0.057</u>	LTD	LTD	LTD	LTD	0.012	

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc	
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	
	Guidelines for Canadian Drinking Water Quality				10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0	
	Aesthetic (A) or Contaminant (C) Parameter				C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A	
Wabana																								
Wabana	Mixed Supplies	Oct 09, 2024	LTD	2.0	LTD	LTD	0.020	LTD	LTD	0.007	0.092	LTD	LTD	0.015	<u>0.590</u>	LTD	6.500	0.200	LTD	LTD	LTD	LTD	LTD	
Wabana	Mixed Supplies	Oct 09, 2024	LTD	2.1	LTD	LTD	0.012	LTD	LTD	0.005	0.089	LTD	LTD	0.013	<u>0.340</u>	LTD	6.100	0.140	LTD	LTD	LTD	LTD	LTD	
Wabush																								
Wabush	Wahnahnish Lake	Oct 16, 2024	0.051	3.2	LTD	0.140	0.009	LTD	LTD	LTD	0.012	LTD	LTD	0.079	LTD	0.001	4.300	0.015	LTD	LTD	LTD	LTD	LTD	
West Bay																								
West Bay	Victor's Brook	Dec 17, 2024	0.057	5.9	0.140	0.160	LTD	0.920	LTD	LTD	0.029	0.00001	LTD	0.002	0.120	LTD	6.100	0.007	LTD	LTD	LTD	0.0001	0.006	
West Bay	Unnamed Brook	Dec 17, 2024	LTD	8.1	0.087	0.160	LTD	0.049	LTD	LTD	0.036	LTD	LTD	0.011	0.110	LTD	5.600	0.003	LTD	LTD	LTD	0.0001	LTD	
Westport																								
Westport	Western Brook Pond	Nov 05, 2024	LTD	11.0	LTD	0.220	0.006	0.310	LTD	LTD	0.007	LTD	LTD	0.370	<u>0.550</u>	0.001	0.670	0.010	LTD	LTD	LTD	LTD	0.018	
Whitbourne																								
Whitbourne	Hodges River	Nov 07, 2024	LTD	6.7	LTD	0.160	LTD	0.053	LTD	LTD	LTD	LTD	LTD	0.007	0.150	LTD	0.920	0.006	LTD	LTD	LTD	LTD	0.013	
Whiteway																								
Whiteway (+Cavendish)	Long Pond	Dec 10, 2024	LTD	5.7	LTD	0.190	LTD	0.072	LTD	LTD	LTD	LTD	LTD	0.002	0.110	LTD	0.900	0.006	LTD	LTD	LTD	LTD	0.006	
Whiteway - PWDU	Long Pond	Dec 10, 2024	LTD	LTD	LTD	LTD	LTD	LTD	LTD	LTD	0.004	LTD	LTD	LTD	LTD	LTD	0.220	0.004	LTD	LTD	LTD	LTD	LTD	
Wild Cove																								
Wild Cove	Hedderson's Pond Brook	Nov 06, 2024	LTD	15.0	LTD	0.270	0.005	0.140	LTD	LTD	0.008	LTD	LTD	0.039	0.230	LTD	0.990	0.008	LTD	LTD	LTD	LTD	LTD	
Winterton																								
Winterton	Western Pond	Dec 04, 2024	LTD	6.2	LTD	0.140	LTD	0.100	LTD	LTD	LTD	LTD	LTD	0.120	0.200	LTD	0.600	0.014	LTD	LTD	LTD	LTD	0.007	
Wooddale																								
Wooddale	Northern Arm Lake	Nov 05, 2024	LTD	1.9	LTD	LTD	LTD	0.023	LTD	LTD	0.002	LTD	LTD	0.001	LTD	LTD	0.480	LTD	LTD	LTD	LTD	LTD	0.006	
Woodstock																								
Woodstock	Mill Pond	Nov 07, 2024	LTD	13.0	LTD	0.270	0.006	0.450	LTD	LTD	0.002	0.00001	LTD	0.009	<u>0.420</u>	LTD	0.830	0.018	LTD	LTD	LTD	0.0006	0.011	
Woody Point																								

Tap Water Quality for Public Water Supplies in Newfoundland and Labrador

Nutrients and Metals

Serviced Area(s)	Source Name	Sample Date	Ammonia	DOC	Nitrate(ite)	Kjeldahl Nitrogen	Total Phosphorus	Aluminum	Antimony	Arsenic	Barium	Cadmium	Chromium	Copper	Iron	Lead	Magnesium	Manganese	Mercury	Nickel	Selenium	Uranium	Zinc
		Units	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L
	Guidelines for Canadian Drinking Water Quality				10				0.006	0.01	2.0	0.007	0.05	1.0 / 2.0	0.3	0.005		0.02 / 0.12	0.001		0.05	0.02	5.0
	Aesthetic (A) or Contaminant (C) Parameter				C				C	C	C	C	C	A / C	A	C		A / C	C		C	C	A
Woody Point																							
Woody Point	Winterhouse Brook	Nov 14, 2024	LTD	1.8	0.130	LTD	LTD	0.014	LTD	LTD	0.006	LTD	0.00190	0.032	LTD	0.003	9.800	LTD	LTD	0.005	LTD	LTD	LTD

Tap water samples are collected semi annually from drinking water faucets of one or more homes, public buildings, or businesses in your community. Tap or treated water quality is monitored to check its compliance with the Guidelines for Canadian Drinking Water Quality (GCDWQ). Tap water quality is also monitored so that water that is being consumed at the tap can be compared with the untreated source water quality. Any variations between source and tap water quality represents the effectiveness of the treatment and disinfection system, and the influences of the distribution system due to plumbing in local homes, public buildings, or businesses. The values for each parameter are as reported by the lab and verified by the department.

Quality Assurance / Quality Control (QA/QC) - The department is striving to improve the quality of the data using standard QA/QC protocols. This is an evolving process which may result in minor changes to the reported data.

LTD - Less Than Detection Limit - The detection limit is the lowest concentration of a substance that can be determined using a particular test method and instrument. Detection limits vary from parameter to parameter and change from time to time due to improvements in analytical procedures and equipment.

The exceedance report for tap water provides a brief discussion and interpretation of health related water quality parameters, if any, that exceed the acceptable limits as set out in the GCDWQ.

Aesthetic (A) Parameters - Aesthetic parameters reflect substances or characteristics of drinking water that can affect its acceptance by consumers but which usually do not pose any health effects. Aesthetic exceedances are highlighted in blue text and underlined.

Contaminants (C) - Contaminants are substances that are known or suspected to cause adverse effects on the health of some people when present in concentrations greater than the established Maximum Acceptable Concentrations (MACs) or the Interim Maximum Acceptable Concentrations (IMACs) of the GCDWQ. Each MAC has been derived to safeguard health assuming lifelong consumption of drinking water containing the substance at that concentration. IMACs are reviewed periodically as new information becomes available. Please consult your Medical Officer of Health for additional information on the health aspects on contaminants. Contaminant exceedances are highlighted in red text and enclosed in a box.

The reported information is for supplies selected for sampling and may not include all public water supplies.

Contaminant and Aesthetic Exceedances																							
Nitrate(ite) - The maximum acceptable concentration for nitrate(ite) in drinking water is 10 mg/L expressed as nitrate-nitrogen. Nitrate and nitrite are naturally occurring ions that are widespread in the environment. High levels of this contaminant can cause adverse health effects for some people.												Copper - The maximum acceptable concentration for copper in drinking water is 2.0 mg/L and the aesthetic objective for copper in drinking water is 1.0 mg/L. Copper is widely distributed in nature and is found frequently in surface water and in some groundwater. Usually, copper in tap water is the result of dissolution of copper piping within the distribution system. The aesthetic objective was set to ensure palatability and to minimize staining of laundry and plumbing fixtures. Copper is an essential element in human metabolism and copper deficiency results in a variety of clinical disorders. At extremely high doses copper intake can result in adverse health effects. High levels of copper in tap water may result in blue-green staining on some fixtures.											
Antimony - The interim maximum acceptable concentration (IMAC) for antimony in drinking water is 0.006 mg/L. It is a naturally occurring metal that is introduced into water through the natural weathering of rocks, runoff from soils, effluents from mining and manufacturing operations, industrial and municipal leachate discharges and from household piping and possibly non-lead solder. High levels of this contaminant can cause adverse health effects for some people.												Manganese - The maximum acceptable concentration for manganese in drinking water is 0.12 mg/L and the aesthetic objective for manganese in drinking water is 0.02 mg/L. Usually, manganese in drinking water is the result of high amounts of manganese in the source water supply's bedrock. Levels above the maximum acceptable concentration can cause adverse health effects for some people. Levels above the aesthetic objective may cause staining of plumbing and laundry and undesirable tastes in beverages.											
Arsenic - The interim maximum acceptable concentration for arsenic in drinking water is 0.01 mg/L. Arsenic is introduced into water through the dissolution of minerals and ores, from industrial effluents and via atmospheric deposition. High levels of this contaminant can cause adverse health effects for some people.												Iron - The aesthetic objective for iron in drinking water is 0.3 mg/L. Usually, iron in tap water is the result of high iron content in the raw water and dissolution of iron piping within the distribution system. Iron is an essential element in nutrition. High levels of iron in tap water can cause staining of laundry and plumbing fixtures, unpleasant taste, colour and promote biological growths in the distribution system.											
Barium - The maximum acceptable concentration for barium in drinking water is 2.0 mg/L. Barium is not found free in nature but occurs as in a number of compounds. High levels of this contaminant can cause adverse health effects for some people.												Zinc - The aesthetic objective for zinc in drinking water is 5.0 mg/L. Zinc in water can be naturally occurring or due to zinc in plumbing materials. Zinc is an essential element for human nutrition. Long term ingestion of zinc has not resulted in adverse effects. Water with zinc concentrations higher than the aesthetic objective has an astringent taste and may be opalescent and develop a greasy film on boiling.											
Cadmium - The maximum acceptable concentration for cadmium in drinking water is 0.007 mg/L. Cadmium that is present as an impurity in galvanized pipes, a constituent of solders used in fitting water heaters or incorporated into stabilizers in black polyethylene pipes may contaminate water supplies during their distribution. High levels of this contaminant can cause adverse health effects for some people.																							
Chromium - The maximum acceptable concentration for chromium in drinking water is 0.05 mg/L. High levels of this contaminant can cause adverse health effects for some people.																							
Lead - The maximum acceptable concentration for lead in drinking water is 0.005 mg/l. Lead is present in tap water as a result of dissolution from natural sources or from the distribution systems and plumbing containing lead in pipes, solder or service connections. High levels of this contaminant can cause adverse health effects for some people.																							
Mercury - The maximum acceptable concentration for mercury in drinking water is 0.001 mg/L. High levels of this contaminant can cause adverse health effects for some people																							
Selenium - The maximum acceptable concentration for selenium in drinking water is 0.05 mg/L. High levels of this contaminant can cause adverse health effects for some people.																							
Uranium - The interim maximum acceptable concentration for uranium in drinking water is 0.02 mg/L. Uranium may enter drinking water from naturally occurring deposits or as a result of human activity, such as mill tailings and phosphate fertilizers. High levels of this contaminant can cause adverse health effects for some people.																							

mg/L = milligrams per litre or parts per million µS/cm = micro Siemens per centimeter NTU = nephelometric turbidity units TDS = total dissolved solids TSS = total suspended solids TCU = true colour units Nitrate(ite) = Nitrate + Nitrite DOC = dissolved organic carbon

Notes:
Guidelines for Canadian Drinking Water Quality have not been developed for all the parameters listed in this report.
pH has no units