



FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 02, 2025

BASHO Restaurant & Lounge
283 Duckworth Street, St. John's, NL

Yearly Operation

For additional information on the Inspection process, please see:
<https://www.gov.nl.ca/gs/inspections/>

Inspection Type and Date	Compliance Item Type	Code - Description	Observations and Corrective Actions
Food - Annual Inspection Nov 06, 2025	Critical Item(s)	108 - Proper Thawing Procedures for Frozen Food	Corrected During Inspection Improper thawing of seafood was observed at the sushi bar. Repair the cooler & do not use for defrosting until repaired. Product was chilled and did not require discarding. CDI
	Non-Critical Item(s)	606 - Adequate mechanical ventilation	The vent-hood requires cleaning.
		702 - Non-food contact surfaces properly constructed, in good repair and clean	General cleaning required at the sushi bar and the wall above the hand sink.
Food - Routine Inspection Mar 11, 2025	Non-Critical Item(s)	606 - Adequate mechanical ventilation	General cleaning required for the vent hood.
		704 - Adequate protection from vermin and insect pests	Fill gaps identified in the kitchen area.
Food - Annual Inspection Aug 27, 2024	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	Remove the containers of used grease in the basement.



FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 02, 2025

BASHO Restaurant & Lounge
283 Duckworth Street, St. John's, NL

Yearly Operation

For additional information on the Inspection process, please see:
<https://www.gov.nl.ca/gs/inspections/>

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Routine Inspection Feb 07, 2024	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	Repair the floor tile in the bathroom on the main floor.