



FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 02, 2025

Canadian Tire Gas Bar/Subway
46 Torbay Road, St. John's, NL
Yearly Operation

For additional information on the Inspection process, please see:
<https://www.gov.nl.ca/gs/inspections/>

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Routine Inspection Nov 20, 2025	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	Repair the ceiling tile in the staff bathroom.
Food - Annual Inspection May 01, 2025	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	Some cleaning required under the equipment on food service line.
		901 - Log Recording	Logs were maintained and foods were well above the hot holding requirement's. However, please document when the hot foods are first cooked (ie. >165f or 74c)
Food - Routine Inspection Nov 25, 2024		Compliant at the time of this inspection	
Food - Annual Inspection Apr 29, 2024	Non-Critical Item(s)	506 - Equipment in good repair, cleaned and sanitized	Please replace the shelving in the walk-in cooler.