



**FOOD PREMISES INSPECTION REPORT**  
**for Non-Compliant**  
**Critical / Non-Critical Items**  
**Date of Report - November 08, 2025**

**Tim Horton's**  
**907 Conception Bay Highway, Kelligrews, NL**

*Yearly Operation*

*For additional information on the Inspection process, please see:*  
[http://www.servicenl.gov.nl.ca/inspections/inspection\\_information.pdf](http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf)

| Inspection<br>Type and Date                      | Compliance Item<br>Type         | Code - Description  | Observations and Corrective Actions  |
|--|---------------------------------|---|--|
| Food - Routine Inspection<br><b>Nov 07, 2025</b> | <b>Non-Critical<br/>Item(s)</b> | 506 - Equipment in good repair,<br>cleaned and sanitized                              | Cleaning of walls/exterior equipment/floors throughout.                                    |
| Food - Annual Inspection<br><b>Feb 18, 2025</b>  |                                 | Compliant at the time of this<br>inspection   |  |
| Food - Routine Inspection<br><b>Nov 05, 2024</b> | <b>Critical<br/>Item(s)</b>     | 404 - Toxic Chemicals Properly<br>Labeled, Stored and Used to<br>Prevent Food Contam. | <b>Corrected During Inspection</b><br>Cleaner at front not labelled at time of inspection  |
| Food - Annual Inspection<br><b>Nov 30, 2023</b>  | <b>Non-Critical<br/>Item(s)</b> | 702 - Non-food contact surfaces<br>properly constructed, in good<br>repair and clean  | Cleaning of small fridge at drive thru<br>Cleaning of floor perimeters at back of kitchen. |
|  |                                 | 901 - Other Non-Critical Item   | Espresso cleaner observed to be clogged- repairs required.                                 |