



**FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 02, 2025**

**Pita Pit
12 Hebron Way, St. John's, NL**

Yearly Operation

*For additional information on the Inspection process, please see:
<https://www.gov.nl.ca/gs/inspections/>*

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Annual Inspection Nov 14, 2025	Non-Critical Item(s)	506 - Equipment in good repair, cleaned and sanitized	Walkin cooler is leaking. Please repair.
Food - Routine Inspection Jun 11, 2025	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	A) Resurface the bottom of the shelving next to the freezer. B) The floors in the back require cleaning.
		803 - Chemical Test Kits and/or Papers provided	Supply test strips to check the sanitizer.
Food - Annual Inspection Dec 30, 2024	Non-Critical Item(s)	803 - Chemical Test Kits and/or Papers provided	Test strips are required to check the sanitizer. Please supply for staff.
		901 - Other Non-Critical Item	The second handwashing station was missing hand soap.
Food - Routine Inspection Jul 12, 2024	Non-Critical Item(s)	606 - Adequate mechanical ventilation	The vent hood requires cleaning.



**FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - December 02, 2025**

**Pita Pit
12 Hebron Way, St. John's, NL**

Yearly Operation

*For additional information on the Inspection process, please see:
<https://www.gov.nl.ca/gs/inspections/>*

Inspection Type and Date	Compliance Item Type	Code - Description	Observations and Corrective Actions
Food - Annual Inspection Dec 07, 2023	Non-Critical Item(s)	803 - Chemical Test Kits and/or Papers provided	The test strips were water damaged. Please replace.
		901 - Other Non-Critical Item	Repair the chef base cooler. No food is to be stored in said cooler until it is reading between 0-4c.