



**FOOD PREMISES INSPECTION REPORT**  
for Non-Compliant  
Critical / Non-Critical Items  
**Date of Report - September 11, 2025**

**Yellow Belly Brewery Airport**  
**100 World Parkway, St. John's, NL**  
*Yearly Operation*

*For additional information on the Inspection process, please see:*  
[http://www.servicenl.gov.nl.ca/inspections/inspection\\_information.pdf](http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf)

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Routine Inspection <b>Sep 05, 2025</b>	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	A) Repair the wall in the pizza area. Previously noted. B) Repair the line-cooler door.
		802 - Working dishwasher temperature and pressure gauge	Repair the temperature gauges on dishwasher.
Food - Annual Inspection <b>Feb 26, 2025</b>	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	Repair the wall next to the pizza oven. Previously noted.
		802 - Working dishwasher temperature and pressure gauge	Repair gauges in the dishwasher.
Food - Annual Inspection <b>Mar 21, 2024</b>	Non-Critical Item(s)	602 - Hot and Cold water available, adequate pressure	Repair the faucet at the hand washing station near the pizza preparation area.
Food - Routine Inspection <b>Sep 29, 2023</b>	Non-Critical Item(s)	603 - Proper disposal of sewage and waste water	Repair the grease trap.



**FOOD PREMISES INSPECTION REPORT**  
for Non-Compliant  
Critical / Non-Critical Items  
Date of Report - September 11, 2025

**Yellow Belly Brewery Airport**  
**100 World Parkway, St. John's, NL**

*Yearly Operation*

*For additional information on the Inspection process, please see:*  
[http://www.servicenl.gov.nl.ca/inspections/inspection\\_information.pdf](http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf)

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Routine Inspection <b>Sep 29, 2023</b>	Non-Critical Item(s)	605 - Adequate lighting; lighting protected	Lighting is inadequate in the walk-in cooler.
		702 - Non-food contact surfaces properly constructed, in good repair and clean	Deep cleaning required under the kitchen equipment on the food service line.