



**FOOD PREMISES INSPECTION REPORT  
for Non-Compliant  
Critical / Non-Critical Items  
Date of Report - August 30, 2025**

**Wok Box Kelsey Drive  
55 A-1 Kelsey Drive, St. John's, NL**

*Yearly Operation*

*For additional information on the Inspection process, please see:  
[http://www.servicenl.gov.nl.ca/inspections/inspection\\_information.pdf](http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf)*

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Annual Inspection <b>Aug 29, 2025</b>	Non-Critical Item(s)	502 - Appropriate procedures followed for mechanical and/or manual dishwashing	The dishwasher is not providing the required sanitizer concentration. Temporary manual sanitization (washâ€“rinseâ€“sanitize) is permitted until the
		702 - Non-food contact surfaces properly constructed, in good repair and clean	General cleaning is required throughout the facility, including under heavy equipment, shelving, and other hard-to-reach areas. The gap in the rear
Food - Routine Inspection <b>Dec 17, 2024</b>	Non-Critical Item(s)	702 - Non-food contact surfaces properly constructed, in good repair and clean	Gap observed in the rear door; repair or replace to prevent pest entry. Floor tiles missing near the handwashing sink in the inner prep area; repair or replace to maintain compliance with health and safety standards.
		901 - Other Non-Critical Item	The dishwasher sanitizer is not reaching the required concentration. Take steps to achieve the proper sanitizer concentration. In the interim, use the three-compartment sink for washing, rinsing, and sanitizing, as discussed.
Food - Annual Inspection <b>Nov 16, 2023</b>	Non-Critical Item(s)	502 - Appropriate procedures followed for mechanical and/or manual dishwashing	The dishwasher is not providing the required sanitizer concentration. Temporary manual sanitization is permitted until the issue is corrected today.
		506 - Equipment in good repair, cleaned and sanitized	Replace the seals on the inline cooler doors and provide a locking device to keep the doors closed.



**FOOD PREMISES INSPECTION REPORT**  
for Non-Compliant  
Critical / Non-Critical Items  
**Date of Report - August 30, 2025**

**Wok Box Kelsey Drive**  
**55 A-1 Kelsey Drive, St. John's, NL**

*Yearly Operation*

*For additional information on the Inspection process, please see:*  
[http://www.servicenl.gov.nl.ca/inspections/inspection\\_information.pdf](http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf)

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Annual Inspection <b>Nov 16, 2023</b>	<b>Non-Critical Item(s)</b>	702 - Non-food contact surfaces properly constructed, in good repair and clean	The rear exterior door is to be provided with a secure fit, a door sweep and the handle in good working order. Replace the damaged/missing tiles by the rear area hand sink.