



FOOD PREMISES INSPECTION REPORT
for Non-Compliant
Critical / Non-Critical Items
Date of Report - May 17, 2024

Catalina Convenience and Gas Bar Ltd.
409 Discovery Trail, Catalina, NL
Yearly Operation

For additional information on the Inspection process, please see:
http://www.servicenl.gov.nl.ca/inspections/inspection_information.pdf

Inspection Type and Date	Compliance Item		Observations and Corrective Actions
	Type	Code - Description	
Food - Annual Inspection May 03, 2024	Non-Critical Item(s)	803 - Chemical Test Kits and/or Papers provided	Chemical test strips were missing during inspection. Test strips should be present to check effectiveness of sanitizer used.
Food - Routine Inspection Sep 12, 2023		Compliant at the time of this inspection	
Food - Annual Inspection Mar 15, 2023	Critical Item(s)	101 - Cold holding temperatures <= 4 degrees celsius	Refrigerator was operating above 4 degrees. Unit was adjusted to bring the temperature down to below 4 degrees prior to finishing the inspection.
	Non-Critical Item(s)	803 - Chemical Test Kits and/or Papers provided	Quat test strips required to verify concentration at 200ppm.
Food - Routine Inspection Jul 12, 2022		Compliant at the time of this inspection	